




Finished Quilt Size: **46" x 58" (1.17m x 1.47m)** Finished Block Size: **12" x 12" (30.5cm x 30.5cm)** Fabric Collection Name & Fabric Designer: **Pinecone Ridge Lodge by Shelly Comiskey** Technique: **Piecing** Designed by: **Lisa Swenson Ruble, Quilty Zest** Skill Level: **Advanced Beginner** Tech Edited by: **Lisa Visel, Mountain View Quilts**



Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Skiing Critters	Multi	2123-89	½ yard (0.46m)
(B) 24 Inch Block Panel	Multi	2124-89	⅔ yard (0.61m)
(C) Bias Plaid	Multi	2128-89*	% yard (0.57m)
(D) Buffalo Plaid	Red/Black	2129-89	½ yard (0.46m)
(E) Novelty Animal Stripe	Multi	2130-89	1 ⅔ yards (1.52m)
(F) Tossed Hats/Mittens/Skates	Charcoal	2131-99	½ yard (0.46m)
(G) Starry Basics	Black	8294-99	½ yard (0.46m)
* includes binding			



108" (2.74m) wide



Backing 44"

Additional Materials:

- 100% cotton thread •
- 54" x 66" (1.37m x 1.68m) batting •
- Thread and sewing supplies .

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.



Cutting

Notes:

- Please make sure to check *henryglassfabrics.net* for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

(1) 13¼" x WOF; subcut
(3) 13¼" squares then cut square diagonally in half twice to make
(12) QSTs

Fabric B, cut:

Fussy cut (6) 11" squares

Fabric C, cut: (6) 2¹/₂" x WOF for the binding

Fabric D, cut:

(5) 2¹/₂" x WOF; sew together end to end with 45-degree diagonal seams and cut

(2) 2½" x 48½"

(2) 2½" x 40½"

Fabric E, cut: Fussy cut (2) 3½" x 52½" LOF (length of fabric) Fussy cut (2) 3½" x 46½" LOF

Fabric F, cut:

(1) 13¼" x WOF; subcut
(3) 13¼" squares then cut square diagonally in half twice to make (12) QSTs

Fabric G, cut:

(1) 12½" x WOF; subcut
(12) 1¼" x 12½" rectangles
(12) 1¼" x 11" rectangles

All free projects are intended to remain free and are not for resale.

Block Assembly

Note:

- All seam allowances are ¼" (.64cm) unless otherwise noted. .
- Sew pieces right sides together (RST). .
- Press seam allowances open unless otherwise indicated. •
- 1. Lay out (2) each **Fabric A** QST and **Fabric F** 2. QST (Fig. 1 - 2). Sew QSTs together in pairs and join the pairs to make Block One. Square up to measure 121/2" square. Make (6) total, noting orientation.

Fig. 1


Block One Make 4

Sew 1¹/₄" x 11" Fabric G rectangles to opposite sides of (1) 11" Fabric B square. Sew 1¼" x 12½" Fabric G rectangles to the top and bottom to make (1) Block Two (Fig. 3). Make (6) total Block Two measuring 12½" square.

Fig. 3


Block Two Make 6


🔠 Henry Glass & Co., Inc.



Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

4 of 6





Quilt Top Assembly

Follow the Quilt Layout (page 6) while assembling the quilt top.

- Lay out (6) Block One and (6) Block Two into (4) rows of (3) blocks each. Sew the blocks into rows and join the rows to complete the Quilt Center measuring 36¹/₂" x 48¹/₂".
- Sew 2½" x 48½" Fabric D strip to each side of the Quilt Center. Sew 2½" x 40½" Fabric D strip to the top and bottom of the Quilt Center.
- Sew 3½" x 52½" Fabric E strip to each side of the Quilt Center. Sew 3½" x 46½" Fabric E strip to the top and bottom to make the quilt top which measures 46½" x 58½".

Finishing

- Sew together the (6) 2½" x WOF Fabric C binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
- Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the quilt top.
- Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.




- 9. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
- 10. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

5 of 6



Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

6 of 6