



Finished Size: **52" x 60" (1.32 m x 1.52 m)**

Fabric Collection Name and Fabric Designer: **Happy Campers by Sharon Kuplack**

Technique: **Pieced**

Designed by: **Denise Russell of Pieced Brain**


Skill Level: **Intermediate**

## Fabric Requirements

\* For best results, we recommend NOT prewashing fabrics. Laundering may alter the dimensions required to complete the project as designed.


| DESIGN                  | COLOR           | ITEM ID  | YARDAGE           |
|-------------------------|-----------------|----------|-------------------|
| (A) Tree Rings          | Brown           | 2732-33  | ⅓ yard (0.30 m)   |
| (B) Fireflies           | Lime/Dark Teal  | 2735-67* | ⅝ yard (0.57 m)   |
| (C) Stripe              | Dark Teal/Green | 2737-76  | 1⅞ yards (1.71 m) |
| (D) Happy Campers Panel | Dark Teal/Green | 2738P-76 | 1 yard (0.91 m)   |

\* includes binding



## Backing (Purchased Separately)

|                                        |                  |         |                   |
|----------------------------------------|------------------|---------|-------------------|
| 44" (1.12 m) wide<br>Bears and Bobbers | Light Blue/Brown | 2728-13 | 3½ yards (3.20 m) |
| OR                                     |                  |         |                   |
| 108" (2.74 m) wide<br>Crackle Mosaic   | Brown            | 2415-39 | 1¾ yards (1.60 m) |



## Additional Materials:

- Batting 60" x 68" (1.52 m x 1.73 m)
- Thread and sewing supplies

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.  
Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.  
All free projects are intended to remain free and are not for resale.*



## CUTTING

### Notes:

- Please make sure to check [henryglassfabrics.net](http://henryglassfabrics.net) for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvedge to selvedge unless otherwise noted.

### **Fabric A, cut:**

(4) 1½" x WOF for border 1

### **Fabric B, cut:**

(7) 2½" x WOF for binding

### **Fabric C, fussy cut:**

(4) approximately 10½" x LOF for border 2

\*Measure the width of the fabric after trimming off the selvages, then cut into 4 equal pieces, following the design of the border print.

### **Fabric D:**

Trim panel to 30½" x 38½"

## QUILT TOP ASSEMBLY

**Notes:** All seam allowances are ¼" (0.64 cm). Sew pieces with right sides together. Press seam allowances open unless otherwise indicated. Follow the **Quilt Layout** diagram (page 5) while assembling the quilt top.

1. For border 1, trim (2) 1½" **Fabric A** strips to 38½". Sew the strips to either side of the **Fabric D** panel. Press the seams away from the panel. Trim (2) 1½" **Fabric A** strips to 32½" and sew them to the top and bottom of the quilt. Press the seams away from the center.
2. For border 2, mark the quilt center along the sides, top, and bottom. Mark the center of each 10½" **Fabric C** border strip. Matching the centers, sew one border strip to each side, beginning and ending exactly ¼" from the corners. Backstitch at each end of the seam. DO NOT trim the extra length. Press toward the border. Sew the remaining border strips to the top and bottom of the quilt, beginning and ending exactly ¼" away from the corners and backstitching. Press toward the quilt center. DO NOT trim the extra length.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.


All free projects are intended to remain free and are not for resale.

3. To miter the borders, fold one corner of the quilt at a 45° angle so that the border strips are directly on top of one another and the seam allowances nest together. Place an acrylic quilting ruler on the fold of the quilt so that the long edge is against the fold and the 45° line follows the seam. Draw a line from the corner of the quilt top to the outside edge of the border. Pin the borders together. Position your needle on the inside corner where the border meets the quilt. Stitch directly on the line you have drawn to the outside edge of the border. Trim the excess fabric, leaving a ¼" seam allowance. Press. Repeat the process for the remaining three corners of the quilt.

## FINISHING

4. Sew together the (7) 2½" **Fabric B** binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half, wrong sides together.
5. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.
6. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match the raw edges of the binding to the raw edges of the quilt. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
7. Lay both loose ends of the binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, with the right sides matching. Trim the seam to ¼" and press it open. Finish sewing the binding to the quilt.
8. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

Quilt Layout



*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.  
Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.  
All free projects are intended to remain free and are not for resale.*