



Finished Size of Project: **105" x 30" (266.70cm x 76.20cm)** Fabric Collection Name and Designer: **It's the Holidays by Goldi L. Studio** Technique: **Pieced** Project Designed by: **Matthew Pridemore of The Whimsical Workshop** Skill Level: **Advanced Beginner**



Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Starry Night	Denim	2033-75	½ yard (0.46m)
(B) Tree Decorations	Pine	2034-68	¾ yard (0.34m)
(C) Township	Gold	2036-40	¾ yard (0.69m)
(D) Holiday Village Panel	Denim	2037P-75	1 panel - 1¼ yards (1.14m)
(E) Timeless Linen Basics	Cream	1027-44	5⁄8 yard (0.57m)
(F) Timeless Linen Basics	Dark Green	1027-68	% yard (0.80m)*
(G) Timeless Linen Basics * includes binding	Medium Green	1027-666	% yard (0.57m)



Backing (Purchased Separately)

44" (1.12m) wide Tree Decorations



2034-68

3¼ yards (2.97m)



Backing 44"

Additional Materials:

- Batting 113" x 38" (287.02cm x 96.52cm)
- · Thread and sewing supplies



Cutting Instructions

Notes:

- Please make sure to check *henryglassfabrics.net* for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

- (3) 3¹/₂" x WOF strips; sub-cut
 - (18) 3½" x 6½" strips
- (1) 3¹/₂" x WOF strip; sub-cut
 - (2) 31/2" x 91/2" strips
 - (4) 3½" squares

Fabric B, cut:

(3) 3½" x WOF strips; sub-cut (20) 3½" x 4½" strips

Fabric C, cut:

(1) 24½" x WOF strip; sub-cut
(2) 24½" x 5½" strips

Fabric D, fussy cut:

(4) 22½" x 15½" rectangles each centered on a block

Fabric E, cut:

- (1) 2½" x WOF strip; sub-cut
 (2) 2½" x 21" strips
- (3) 2¼ " x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 (2) 2¼" x 55½" strips
- (4) 1½" x WOF strips; sub-cut (40) 1½" x 3½" strips

Fabric F, cut:

- (3) 2¼ " x WOF strips. Sew the strips together end-to-end with diagonal seams and cut
 (2) 2¼" x 51½" strips
- (2) 1½" x WOF strips; sub-cut (3) 1½" x 17½" strips
- (7) 2¹/₂" x WOF strips for the binding

Fabric G, cut:

(8) 2" x WOF strips; sub-cut from each strip (1) 2" x 15½" strip and (1) 2" x 25½" strip

Backing, cut:


(1) 113" x 38" strip

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Sewing

- Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.
- Sew (1) Fabric G 2" x 15½" strip to each side of (1) Fabric D 22½" x 15½" strip. Sew (1) Fabric G 2" x 25½" strip to the top and bottom of the Fabric D strip to make (1) Block One strip (Fig. 1). Trim the block to measure 24½" x 17½". Repeat to make (4) Block One strips total.




Sew (1) Fabric E 1½" x 3½" strip to each side of (1) Fabric B 3½" x 4½" strip to make (1) 3½" x 6½" Block Two strip (Fig. 2). Repeat to make (20) Block Two strips total.









 Sew (1) Block One strip to each side of (1) **Fabric F** 1½" x 17½" strip to make (1) 49½" x 17½" Unit 1 strip (**Fig. 3**).



 Sew (1) Fabric F 1½" x 17½" strip to each side of (1) Unit 1 strip. Sew (1) Fabric F 2¼" x 51½" strip to the top and bottom of the Unit 1 strip to make (1) 51½" x 21" Unit 2 strip (Fig. 4).



 Sew (1) Fabric E 2¹/₂" x 21" strip to each side of (1) Unit 2 strip. Sew (1) Fabric E 2¹/₄" x 55¹/₂" strip to the top and bottom of the Unit 2 strip to make (1) 55¹/₂" x 24¹/₂" Unit 3 strip (Fig. 5).



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

 Sew together (1) Block One strip, (1) Fabric C 5½" x 24½" strip, Unit 3 strip, (1) Fabric C 5½" x 24½" strip and (1) Block One strip, in that order from left to right, to make the 99½"x 24½" Center Block (Fig. 6).





Fig. 6

- 7. Sew together (1) Fabric A 3½" square, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip and (1) Fabric A square, A IZ in that order from top to bottom, to make the 3½" x 24½" Left Side Border (Fig. 7). 10.
- Sew together (1) Fabric A 3½" square, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip and (1) Fabric A square, in that order from top to bottom, to make the 3½" x 24½" Right Side Border (Fig. 8).





9. Sew together (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, and (1) Fabric A 3½" x 6½" strip, (1) Block Two strip and (1) Fabric A 3½" x 6½" strip, (1) Block Two strip and (1) Fabric A 3½" x 6½" strip, end-to-end and in that order from left to right, to make the 105½" x 3½" Top Border (Fig. 9).



Top Border A Z Z Z Z Z Z Z Z Z Z

10. Sew together (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, (1) Fabric A 3½" x 6½" strip, (1) Block Two strip, and (1) Fabric A 3½" x 6½" strip, end-to-end and in that order from left to right, to make the 105½" x 3½" Bottom Border (Fig. 10).



Bottom Border

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

5 of 7



Quilt Top Assembly

Follow the Quilt Layout (Page 7) while assembling the quilt top.

- 11. Sew the Left Side Border and Right Side Border to the left and right sides of the Center Block.
- 12. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block to complete the runner top which should measure 105½" x 30½".

Layering, Quilting and Finishing

13. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.

Binding

- 14. Sew together (7) 2½" x WOF **Fabric F** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
- 15. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
- 16. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
- 17. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.


All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.





Runner Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy. All free projects are intended to remain free and are not for resale.