




Finished Size of Project: **50" x 52" (127.00cm x 132.08cm)** Fabric Collection Name and Designer: **Santa is Coming to Town by Stacy West** Technique: **Pieced** Project Designed by: **Stacy West** Skill Level: **Advanced Beginner**



Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Monotone Leaf	Green	1975-66	¼ yard (0.23m)
(B) Monotone Leaf	Red	1975-88	⅓ yard (0.31m)
(C) Geo Ditsy	Green	1978-66	¼ yard (0.11m)
(D) Geo Ditsy	Red	1978-88	% yard (0.57m)
(E) Dots and Geo	Green	1979-66	⅓ yard (0.31m)
(F) Bricks	Red	1980-88	⅓ yard (0.31m)
(G) Santa 24 Inch Panel	Multi	1981P-86	1 panel - ⅔ yard (0.61m)
(H) Timeless Linen Basics	Light Pink	1027-22	¼ yard (0.11m)
(I) Timeless Linen Basics	lvory	1027-40	1¾ yards (1.60m)*
(J) Timeless Linen Basics	Black	1027-99	1 yard (0.91m)
(K) Timeless Linen Basics * <i>includes binding</i>	Yellow	1027-440	⅓ yard (0.11m)





Additional Materials:

.

- Batting 58" x 60" (147.32cm x 152.40cm)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.



Cutting Instructions

Notes:

- Please make sure to check henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

- (1) 1%" x WOF strip; subcut (12) 1%" squares
- (1) 1½" x WOF strip; subcut (16) 1½" squares
- (1) 2³/₄" x WOF strip; subcut
- (4) 2³/₄" squares. Cut each square across both diagonals to make (16) 2³/₄" triangles

Fabric B, cut:

- (1) 2¹/₂" x WOF strip; subcut
 - (4) 21/2" squares
 - (8) 1½" squares
- (1) 2¾" x WOF strip; subcut
 - (16) 2³/₈" squares
- (1) 1¹/₂" x WOF strip; subcut
 - (16) 1½" x 2½" strips

Fabric C, cut:

(1) 1⁷/₈" x WOF strip; subcut

- (2) 1⁷/₈" squares
- (20) 1½" squares

Fabric D, cut:

(1) 3½" x WOF strip; subcut
(4) 3½" x 8½" strips
(1) 2½" x WOF strip; subcut
(4) 2½" x 1½" strips

- (2) 1½" x WOF strips; subcut
 (8) 1½" x 6½" strips
- (3) 1½" x WOF strips; subcut (8) 1½" x 11½" strips
- (1) 2³/₈" x WOF strip; subcut
- (8) 2³/₈" squares. Cut each square across(1) diagonal to make (16) 2³/₈" triangles

Fabric E, cut:

- (1) 1⁷/₈" x WOF strip; subcut
 - (2) 1%" squares
 - (24) 1½" squares
- (1) 1½" x WOF strip; subcut (4) 1½" x 2½" strips
- (1) 2½" x WOF strip; subcut (16) 2½" squares

Fabric F, cut:

- (1) 1½" x WOF strip; subcut (16) 1½" squares
- (1) 1½" x WOF strip; subcut (16) 1½" x 1" strips
- (2) 1" x WOF strips; subcut(8) 1" x 6½" strips
- (2) 1" x WOF strips; subcut (16) 1" x 3" strips

Fabric G, fussy cut:

(1) 23¹/₂" x 25¹/₂" rectangle centered on Santa

Fabric H, cut:

(1) 2¾" x WOF strip; subcut (16) 2¾" squares

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Fabric I, cut:

- (2) 2" x 29½" strips
- (2) 2" x 30½" strips
- (1) 2½" x WOF strip; subcut (8) 2½" squares
- (2) 1½" x WOF strips; subcut (44) 1½" squares
- (2) 1" x WOF strips; subcut (12) 1" x 5½" strips
- (1) 3¹/₂" x WOF strip; subcut
 - (2) 3" x 3½" strips
 - (4) 2³/₄" squares. Cut each square across
 - both diagonals to make (16) 2³/₄" triangles
 - (2) 21/2" x 31/2" strips
 - (2) 2" x 5½" strips
 - (2) 2" x 2½" strips
- (1) 1¹/₂" x WOF strip; subcut
 - (14) 11/2" x 21/2" strips
- (1) 1¹/₂" x WOF strip; subcut
 - (2) 11/2" x 51/2" strips
 - (4) 1" squares
- (1) 1⁷/₈" x WOF strip; subcut (16) 1⁷/₈" squares
- (2) 1½" x WOF strips; subcut
 - (12) 1½" x 6½" strips
- (1) 1" x WOF strip; subcut (6) 1" x 6½" strips
- (5) 1½" x WOF strips. Sew together the strips end-to-end with diagonal seams and cut
 (4) 1½" x 44½" strips
- (6) 2¹/₂" x WOF strips for the binding



- (2) 2½" x 25½" strips
- (2) 2½" x 23½" strips
- (1) 2½" x WOF strip; subcut (4) 2½" x 6½" strips
- (3) 3½" x WOF strips. Sew together the strips end-to-end with diagonal seams and cut
 (2) 3½" x 46½" strips
- (3) 3½" x WOF strips. Sew together the strips end-to-end with diagonal seams and cut
 (2) 3½" x 50½" strips

Fabric K, cut:

(1) 1½" x WOF strip; subcut (24) 1½" squares

Backing, cut:


(2) 58" x WOF strips. Sew the strips together and trim to make the 58" x 60" back

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.






- Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.
- Sew (1) Fabric J 2½" x 25½" strip to each side of the Fabric G 23½" x 25½" strip. Sew (1) Fabric B 2½" square to each end of (1) Fabric J 2½" x 23½" strip. Repeat to make a second strip. Sew (1) newly sewn strip to the top and bottom of the Fabric G strip to make the 27½" X 29½" Center Block (Fig. 1).




 Place (1) Fabric A 1%" square on top of (1) Fabric I 1%" square, right sides together. Draw a line across the diagonal of the top square (Fig. 2). Sew ¼" away from each side of the drawn diagonal line (Fig. 2). Cut the (2) squares apart on the drawn diagonal line (Fig. 3) to make (2) half-square triangles. Trim the half-square triangles to measure 1½" to make (2) Unit 1 squares (Fig. 4). Repeat to make (24) Unit 1 squares total.





- Sew together (1) Fabric A 2³/₄" triangle and (1) Fabric I 2³/₄" triangle along short sides. Sew (1) Fabric D 2³/₈" triangle to the long side of the newly sewn triangle to make (1) 1¹/₂" Unit 2 square (Fig. 5). Repeat to make (8) Unit 2 squares total.
- Sew together (1) Fabric I 2³/₄" triangle and (1) Fabric A 2³/₄" triangle along short sides. Sew (1) Fabric D 2³/₈" triangle to the long side of the newly sewn triangle to make (1) 1¹/₂" Unit 3 square (Fig. 6). Repeat to make (8) Unit 3 squares total.




5. Sew together (1) Unit 2 square, (1) Fabric K 1½" square, (1) Fabric A 1½" square and (1) Unit 2 square, in that order from left to right, to make the top row. Sew together (1) Fabric A 1½" square (2) Unit 3 squares and (1) Fabric I 1½" square, in that order from left to right, to make the middle row. Sew (1) Unit 1 square to each end of (1) Fabric D 1½" x 2½" strip to make the bottom row. Sew together the (3) rows lengthwise to make (1) 3½" x 4½" Unit 4 strip (Fig. 7). Repeat to

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.







make (3) Unit 4 strips total.




 Sew together (1) Unit 3 square, (1) Fabric A 1½" square, (1) Fabric K 1½" square and (1) Unit 3 square, in that order from left to right, to make the top row. Sew together (1) Fabric I 1½" square (2) Unit 2 squares and (1) Fabric A 1½" square, in that order from left to right to make the middle row. Sew (1) Unit 1 square to each end of (1) Fabric D 1½" x 2½" strip to make the bottom row. Sew together the (3) rows lengthwise to make (1) 3½" x 4½" Unit 5 strip (Fig. 8).



7. Sew together (1) Fabric A 1½" square, (1) Unit 1 square, (1) Fabric I 1½" square, (1) Unit 1 square, (1) Fabric A 1½" square, (1) Unit 1 square, (1) Fabric I 1½" square and (1) Unit 1 square in that order from top to bottom. Sew (1) Fabric D 3½" x 8½" strip to the left side of the newly sewn strip lengthwise to make (1) 4½" x 8½" Unit 6 strip (Fig. 9). Repeat to make (3) Unit 6 strips total.




 Sew together (1) Fabric A 1½" square, (1) Unit 1 square, (1) Fabric I 1½" square, (1) Unit 1 square, (1) Fabric A 1½" square, (1) Unit 1 square, (1) Fabric I 1½" square and (1) Unit 1 square in that order from top to bottom. Sew (1) Fabric D 3½" x 8½" strip to the right side of the newly sewn strip lengthwise to make (1) 4½" x 8½" Unit 7 strip (Fig. 10).




All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy. All free projects are intended to remain free and are not for resole.

- Sew (1) Unit 4 strip to the top of (1) Unit 6 strip to make (1) 4¹/₂" x 11¹/₂" Unit 8 strip (Fig. 11). Repeat to make (3) Unit 8 strips total.
- Sew (1) Unit 5 strip to the top of (1) Unit 7 strip to make (1) 4¹/₂" x 11¹/₂" Unit 9 strip (**Fig. 12**).




- Sew (1) Fabric D 1½" x 11½" strip to each side of (1) Unit 8 strip. Sew (1) Fabric D 1½" x 6½" strip to the top and bottom of the Unit 8 strip. Sew (1) Fabric I 1½" x 6½" strip to the top of the newly sew strip to make (1) 6½" x 14½" Block One strip (Fig. 13). Repeat to make (3) Block One strips total.
- Sew (1) Fabric D 1½" x 11½" strip to each side of (1) Unit 9 strip. Sew (1) Fabric D 1½" x 6½" strip to the top and bottom of the Unit 9 strip. Sew (1) Fabric I 1½" x 6½" strip to the top of the newly sew strip to make (1) 6½" x 14½" Block Two strip (Fig. 14).






- 13. Place (1) Fabric B 1½" square on the left side of (1) Fabric I 1½" x 2½" strip, right sides together (Fig. 15). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 15). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance (Fig. 16).
- 14. Place another Fabric B 1½" square on the right side of the Fabric I 1½" x 2½" strip, right sides together (Fig. 17). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 17). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) 1½" x 2½" Unit 10 strip (Fig. 18).
- 15. Repeat Steps 13-14 to make (4) Unit 10 strips total.


All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.



 Sew (1) Fabric I 1½" x 2½" strip to each end of (1) Unit 10 strip to make (1) 1½" x 6½" Unit 11 strip (Fig. 19). Repeat to make (4) Unit 11 strips total.




17. Sew (1) Fabric E 2½" square to each side of (1) Fabric B 1½" x 2½" strip to make the top row. Repeat to make the bottom row. Sew (1) Fabric B 1½" x 2½" strip to each side of (1) Fabric E 1½" square to make the middle row. Sew together the (3) rows lengthwise to make (1) 5½" Unit 12 square (Fig. 20). Repeat to make (4) Unit 12 squares total.




 Sew (1) Fabric I 1" x 5½" strip to each side of (1) Unit 12 square. Sew (1) Fabric I 1" x 6½" strip to the bottom of the Unit 12 square. Sew (1) Unit 11 strip to the top of the Unit 12 square to make (1) 6½" x 7" Block Three strip (Fig. 21).






- 19. Sew (1) Fabric I 1" x 5½" strip to each side of (1) Unit 12 square. Sew (1) Unit 11 strip to the top of the Unit 12 square. Sew (1) Fabric I 1" x 6½" strip to the top of the Unit 11 strip to make (1) 6½" x 7" Block Four strip (Fig. 22).
- 20. Sew (1) Fabric I 1" x 5½" strip to each side of (1) Unit 12 square. Sew (1) Unit 11 strip to the top of the Unit 12 square to make (1) 6½" Block Five square (Fig. 23). Repeat to make a second Block Five square.




Repeat Step 2 and refer to Figures 24-25 for fabric identification, placement and seam direction to make (4) 1½" Unit 13 squares and (4) 1½" Unit 14 squares using (4) Fabric I 1⁷/₈" squares, (2) Fabric C 1⁷/₈" squares and (2) Fabric E 1⁷/₈" squares.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.




22. Place (1) Fabric I 1" square on the bottom left corner of (1) Fabric E 1½" square, right sides together (Fig. 26). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 26). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) 1½" Unit 15 square (Fig. 27). Repeat to make (4) Unit 15 squares total.



- 23. Sew (1) Unit 13 square to the top of (1) Unit 15 square. Sew (1) Fabric I 2" x 2½" strip to the left side of the newly sewn strip. Sew (1) Fabric I 3" x 3½" strip to the top of the newly sewn strip to make (1) 3" x 5½" Unit 16 strip (Fig. 28). Repeat to make a second Unit 16 strip.
- 24. Sew (1) Unit 13 square to the top of (1) Unit 15 square. Sew (1) Fabric I 1½" x 2½" strip to the left side of the newly sewn strip. Sew (1) Fabric I 2½" x 3½" strip to the top of the newly sewn square to make (1) 2½" x 5½" Unit 17 strip (Fig. 29). Repeat to make a second Unit 17 strip.





25. Sew together (3) Fabric C 1½" squares and (2) Fabric E 1½" squares, alternating them from top to bottom, to make the left column. Sew together (2) Fabric E 1½" squares and (2) Fabric C 1½" squares alternating them from top to bottom. Sew (1) Unit 14 square to the bottom of the newly sewn strip to make the right column. Sew together the (2) columns lengthwise to make (1) 2½" x 5½" Unit 18 strip (Fig. 30). Repeat to make (4) Unit 18 strips total.




- 26. Sew together (1) Unit 16 strip, (1) Unit 18 strip and (1) Fabric I 2" x 5½" strip lengthwise and in that order from left to right. Sew (1) Fabric I 1" x 6½" strip to the top and bottom of the newly sewn strip to make (1) 6½" Block Six square (Fig. 31). Repeat to make a second Block Six square.
- 27. Sewtogether (1) Unit 17 strip, (1) Unit 18 strip and (1) Fabric I 1¹/₂" x 5¹/₂" strip lengthwise


All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.



and in that order from left to right. Sew (1) **Fabric I** 1" x 5¹/₂" strip to the top and bottom of the newly sewn strip to make (1) 51/2" x 61/2" Block Seven strip (Fig. 32). Repeat to make a second Block Seven strip.



28. Place (1) **Fabric B** 2³/₈" square on top of (1) **Fabric H** 2³/₈" square, right sides together. Draw a line across the diagonal of the top square. Sew ¼" away from each side of the drawn diagonal line. Cut the (2) squares apart on the drawn diagonal line to make (2) half-square triangles. Trim the half-square triangles to measure 2" to make (2) Unit 19 squares (Fig. 33). Repeat to make (32) Unit 19 squares total.




29. Place (1) Fabric I 1¹/₂" square on the top right corner of (1) Unit 19 square, right sides together (Fig. 34). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 34).


Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) 2" Unit 20 square (Fig. 35). Repeat to make (32) Unit 20 squares total.

T

🖉 Henry Glass & Co., Inc.




30. Sew together (4) Unit 20 squares into a 2x2 matrix to make (1) 3½" Unit 21 square (Fig. 36). Repeat to make (8) Unit 21 squares total.




- 31. Sew (1) Unit 21 square to the left side of (1) Unit 21 square. Sew (1) **Fabric I** 1" x 6¹/₂" strip to the top and (1) **Fabric I** $1\frac{1}{2}$ " x $6\frac{1}{2}$ " strip to the bottom of the newly sewn strip lengthwise to make (1) 6¹/₂" x 5" Block Eight strip (Fig. 37). Repeat to make a second Block Eight strip.
- 32. Sew (1) Unit 21 square to the top of (1) Unit 21 square. Sew (1) Fabric I 11/2" x 61/2" strip to the left side of the newly sewn strip lengthwise to make (1) 4¹/₂" x 6¹/₂" Block Nine strip (Fig. 38). Repeat to make a second Block Nine strip.


All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.



33. Place (1) Fabric I 2½" square on the left side of (1) Fabric J 2½" x 6½" strip, right sides together (Fig. 39). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 39). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance (Fig. 40).




- 34. Place another Fabric I 2½" square on the right side of the Fabric J 2½" x 6½" strip, right sides together (Fig. 41). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 41). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) 2½" x 6½" Unit 22 strip (Fig. 42).
- 35. Repeat Steps 33-34 to make (4) Unit 22 strips total.







36. Sew together (3) Fabric K 1½" squares and (2) Fabric F 1½" squares alternating them from left to right. Sew (1) Fabric F 1½" x 1" strip to each end of the newly sewn strip. Sew (1) Fabric F 1" x 6½" strip to the top and bottom of the newly sewn strip lengthwise to make (1) 6½" x 2½" Unit 23 strip (Fig. 43). Repeat to make (4) Unit 23 strips total.



37. Sew together (1) Fabric F 1½" square, (1) Fabric K 1½" square and (1) Fabric F 1½" x 1" strip in that order from left to right. Sew (1) Fabric F 1" x 3" strip to the top and bottom of the newly sewn strip lengthwise to make (1) 3" x 2½" Unit 24 strip (Fig. 44). Repeat to make (8) Unit 24 strips total.




38. Sew (1) Unit 24 strip to each side of (1) **Fabric E** 1½" x 2½" strip to make (1) 6½" x 2½"
Unit 25 strip (**Fig. 45**). Repeat to make (4)
Unit 25 strips total.




All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.


39. Sew together (1) Unit 22 strip, (1) Unit 23 strip and (1) Unit 25 strip, lengthwise and in that order from top to bottom, to make (1) 6½" Block Ten square (Fig. 46). Repeat to make (4) Block Ten squares total.



- 40. Sew together (1) Block One strip, (1) Fabric I 1½" x 6½" strip, (1) Block Three strip, (1) Block Six square and (1) Block Eight strip, in that order from top to bottom, to make the 6½" x 32½" Left Side Border (Fig. 47).
- 41. Sew together (1) Block Eight strip, (1) Block Six square, (1) Block Four strip, (1) Block Two strip and (1) Fabric I 1½" x 6½" strip, in that order from top to bottom, to make the 6½" x 32½" Right Side Border (Fig. 48).
- 42. Sew together (1) Block Ten square, (1) Block Nine strip, (1) Block Seven strip, (1) Block Five square, (1) Fabric I 1½" x 6½" strip, (1) Block One strip and (1) Block Ten square, in that order from left to right, to make the 42½" x 6½" Top Border (Fig. 49).
- 43. Sew together (1) Block Ten square, (1) Block One strip, (1) Fabric I 1½" x 6½" strip, (1) Block Five square, (1) Block Seven strip, (1) Block Nine strip and (1) Block Ten square, in that order from left to right to make the 42½" x 6½" Bottom Border (Fig. 50).







All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.



Quilt Top Assembly

Follow the Quilt Layout (Page 14) while assembling the quilt top.

- 44. Sew (1) **Fabric I** 2" x 29½" strip to each side of the Center Block. Sew (1) **Fabric I** 2" x 30½" strip to the top and bottom of the Center Block.
- 45. Sew the Left Side Border and Right Side Border to the left and right sides of the Center Block. Sew the Top Border and Bottom Border to the top and to the bottom of the Center Block.
- 46. Sew (1) Fabric I 1½" x 44½" strip to each side of the Center Block. Sew (1) Fabric I 1½" x 44½" strip to the top and bottom of the Center Block.
- 47. Sew (1) Fabric J 3½" x 46½" strip to each side of the Center Block. Sew (1) Fabric J 3½" x 50½" strip to the top and bottom of the Center Block to complete the quilt top which should measure 50½" x 52½".

Layering, Quilting and Finishing

48. Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark the quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting and trim batting and backing even with raw edges of the quilt top.

Binding


- 49. Sew (6) **Fabric I** 2½" x WOF strips together, end-to-end with 45-degree diagonal seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 50. Sew binding to the edges of the quilt top, mitering corners, and overlapping ends.Fold binding to the back of the quilt and stitch it in place by hand to finish.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.



Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.