

Finished Size of Project: 48" x 60" (1.22m x 1.52m)

Fabric Collection Name and Designer: Scandinavian Holiday by Mary Jane Carey

Technique: Pieced

Project Designed by: Mary Jane Carey Skill Level: Advanced Beginner

1 of 6 Copyright© 2025



Fabric Requirements

COLOR	ITEM ID	YARDAGE
Green	3452-66	³ ⁄ ₄ yard (0.69m)
Cream	3453-44	¾ yard (0.61m)
Green	3454-66	% yard (0.57m)
Red	3456-88	³ / ₄ yard (0.69m)*
Red Multi	3458-88	1 yard (0.91m)
	Green Cream Green Red	Green 3452-66 Cream 3453-44 Green 3454-66 Red 3456-88

^{*} includes binding











Backing (Purchased Separately)

44" (1.12m) wide Bird Ornament Toss

Cream Multi 3450-44

3¼ yards (2.97m)



Backing 44"

Additional Materials:

- Batting 56" x 68" (1.42m x 1.73m)
- · Thread and sewing supplies



Cutting Instructions

Notes:

- Please make sure to check henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

- (3) 4" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4" x 53½" strips
- (3) 4" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4" x 481/2" strips

Fabric B, cut:

(6) 31/2" x WOF strips

Fabric C, cut:

- (3) 3½" x WOF strips
- (2) 3½" x WOF strips; subcut (20) 3½" squares

Fabric D, cut:

- (2) 1½" x 41½" strips
- (3) $1\frac{1}{2}$ " x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) $1\frac{1}{2}$ " x $5\frac{1}{2}$ " strips
- (6) 2½" x WOF strips for the binding

Fabric E, fussy cut:

(12) 91/2" squares each centered on a block


Backing, cut:

(2) 56" x WOF strips. Sew the strips together and trim to make the 56" x 68" back.



Sewing


- Sew using a ¼" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.
- Sew (1) Fabric B 3½" x WOF strip to each side of (1) Fabric C 3½" x WOF strip lengthwise to make (1) Strip Set 1 (Fig. 1). Repeat to make (3) total Strip Set 1.
- 2. Cut the (3) Strip Set 1 into (31) 3½" x 9½" Unit 1 rectangles (**Fig. 2**).



- 3. Sew together (3) **Fabric E** 9½" squares and (2) Unit 1 rectangles, alternating them from left to right, to make Row One (**Fig. 3**). Repeat to make Row Three, Row Five and Row Seven.
- 4. Sew together (3) Unit 1 rectangles and (2) **Fabric C** 3½" squares, alternating them from left to right, to make Row Two (**Fig. 3**). Repeat to make Row Four and Row Six.

5. Sew together the (7) pieced Rows, lengthwise and in numerical order from the top to bottom, to make the 33½" x 45½" Center Block (**Fig. 3**).

Fig. 3



- 6. Sew together (4) Unit 1 rectangles and (3) **Fabric C** 3½" squares, end to end and alternating them from top to bottom, to make (1) Side Border (**Fig. 4**). Repeat to make a second Side Border.
- 7. Sew together (4) **Fabric C** 3½" squares and (3) Unit 1 rectangles, end to end and alternating them from left to right, to make the Top Border (**Fig. 5**). Repeat to make the Bottom Border.

4 of 6

Fig. 4
Side Border
make 2
Unit 1
Unit 1
Unit 1

Fig. 5
Top/Bottom Border
make 2
C Unit 1 C Unit 1 C Unit 1

Quilt Top Assembly

Follow the Quilt Layout (Page 6) while assembling the quilt top.

- Sew (1) Side Border to each side of the Center Block.
- Sew the Top Border and the Bottom Border to the top and to the bottom of the Center Block.
- 10. Sew (1) **Fabric D** 1½" x 51½" strip to each side of the Center Block. Sew (1) **Fabric D** 1½" x 41½" strip to the top and to the bottom of the Center Block.
- 11. Sew (1) **Fabric A** 4" x 53½" strip to each side of the Center Block. Sew (1) **Fabric A** 4" x 48½" strip to the top and to the bottom of the Center Block to complete the quilt top which should measure 48½" x 60½".

Layering, Quilting and Finishing

12. Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark the quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting and trim batting and backing even with raw edges of the quilt top.

Binding

- 13. Sew (6) **Fabric D** 2½" x WOF strips together, end-to-end with 45-degree diagonal seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 14. Sew binding to the edges of the quilt top, mitering corners, and overlapping ends. Fold binding to the back of the quilt and stitch it in place by hand to finish.

Quilt Layout

