

Noel Greetings Quilt



Finished Size of Project: **56" x 70" (1.42m x 1.78m)**

Fabric Collection Name and Designer: **Greetings at Christmastide by Stacy West**

Technique: **Pieced**

Project Designed by: **Matthew Pridemore of The Whimsical Workshop**

Skill Level: **Confident Beginner**

Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Snowflake	Blue	2653-11	½ yard (0.46m)
(B) Stripe	Red	2654-08	¼ yard (0.23m)
(C) Dots	Multi	2655-68	¼ yard (0.23m)
(D) Santa Faces	Multi	2656-68	1 yard (0.91m)
(E) Bells & Ornaments	Multi	2657-18	¾ yard (0.34m)
(F) Holly	Multi	2661-68	¾ yard (0.34m)
(G) Christmas Blocks	Multi	2662B-68	⅔ yard (0.61m)
(H) Texture	Red	2663-88	1⅛ yard (1.03m)*
(I) Colorful Postcards	Multi	2664-40	½ yard (0.46m)
(J) Postcard Collage	Beige	2665-44	½ yard (0.46m)
(K) Geometric	Multi	2666-40	¼ yard (0.23m)
(L) Delicate Stripe	Green	2667-66	½ yard (0.46m)

* includes binding



(A)



(B)



(C)



(D)



(E)



(F)



(G)



(H)



(I)



(J)



(K)



(L)

Backing (Purchased Separately)

44" (1.12m) wide

Poinsettia

Multi

2658-48

3¾ yards (3.43m)



Backing
44"

Additional Materials:

- Batting 64" x 78" (1.63m x 1.98m)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Cutting Instructions

Notes:

- Please make sure to check henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

- (3) 2½" x WOF. Sew together end to end with diagonal seams and cut (2) 2½" x 58½"
- (3) 2½" x WOF. Sew together end to end with diagonal seams and cut (2) 2½" x 48½"

Fabric B, cut:

- (4) 1½" x 31½" WOF

Fabric C, cut:

- (2) 2½" x WOF; subcut
(12) 2½" x 6½"

Fabric D, cut:

- (4) 4½" x WOF. Sew together end to end with diagonal seams and cut (2) 4½" x 62½"
- (3) 4½" x WOF. Sew together end to end with diagonal seams and cut (2) 4½" x 56½"

Fabric E, cut:

- (2) 4½" x 31½" WOF

Fabric F, cut:

- (2) 4½" x 31½" WOF

Fabric G, fussy cut:

- (4) 11½" squares each centered on a block

Fabric H, cut:

- (3) 2½" x WOF; subcut
(42) 2½" squares
- (3) 1½" x WOF. Sew together end to end with diagonal seams and cut (2) 1½" x 56½"
- (3) 1½" x WOF. Sew together end to end with diagonal seams and cut (2) 1½" x 44½"
- (7) 2½" x WOF for the binding

Fabric I, cut:

- (2) 6½" x 31½" WOF

Fabric J, cut:

- (2) 6½" x 31½" WOF

Fabric K, cut:

- (2) 2½" x WOF; subcut
(9) 2½" x 6½"

Fabric L, cut:

- (7) 1½" x WOF. Sew together end to end with diagonal seams and cut (6) 1½" x 42½"

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.


Sewing

- Sew using a 1/4" seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew together (1) 4 1/2" x 31 1/2" **Fabric E** strip, (1) 1 1/2" x 31 1/2" **Fabric B** strip and (1) 6 1/2" x 31 1/2" **Fabric I** strip, lengthwise and in that order from top to bottom, to make (1) 31 1/2" x 11 1/2" Block One strip (**Fig. 1**). Repeat to make a second Block One strip.

Fig. 1


Block One
make 2



2. Sew together (1) 6 1/2" x 31 1/2" **Fabric J** strip, (1) 1 1/2" x 31 1/2" **Fabric B** strip and (1) 4 1/2" x 31 1/2" **Fabric F** strip, lengthwise and in that order from top to bottom, to make (1) 31 1/2" x 11 1/2" Block Two strip (**Fig. 2**). Repeat to make a second Block Two strip.

Fig. 2

Block Two
make 2



3. Place (1) 2 1/2" **Fabric H** square on the left side of (1) 2 1/2" x 6 1/2" **Fabric C** strip RST (**Fig. 3**). Sew across the diagonal of the square from the upper right corner to the lower left corner (**Fig. 3**). Flip open the triangle formed and press (**Fig. 4**). Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance.

Fig. 3



Fig. 4



4. Place another 2 1/2" **Fabric H** square on the right side of the 2 1/2" x 6 1/2" **Fabric C** strip RST (**Fig. 5**). Sew across the diagonal of the square from the upper right corner to the lower left corner (**Fig. 5**). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 1 strip (**Fig. 6**).
5. Repeat Steps 3-4 to make an additional (11) Unit 1 strips.

Fig. 5



Fig. 6

Unit 1
make 12



6. Repeat Steps 3-4 and refer to **Figure 7** for fabric identification, placement, seam direction and orientation to make (9) Unit 2 strips.

Fig. 7

Unit 2
make 9




All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.


7. Sew together (4) Unit 1 strips and (3) Unit 2 strips end to end and alternating them from left to right (**Fig. 8**). Sew (1) 1½" x 42½" **Fabric L** strip to the top and bottom of the newly sewn strip lengthwise to make (1) 42½" x 4½" Block Three strip (**Fig. 8**). Repeat to make an additional (2) Block Three strips.

Fig. 8



8. Sew (1) 11½" **Fabric G** square (red) to the left end of (1) Block One strip to make Row One (**Fig. 9**). Repeat to make Row Three.
9. Sew (1) 11½" **Fabric G** square (cream) to the right end of (1) Block Two strip to make Row Two (**Fig. 9**). Repeat to make Row Four.
10. Sew together Row One, (1) Block Three strip, Row Two, (1) Block Three strip, Row Three, (1) Block Three strip and Row Four, lengthwise and in that order from top to bottom, to make the 42½" x 56½" Quilt Center (**Fig. 9**).

Fig. 9



Quilt Top Assembly

Follow the Quilt Layout (Page 7) while assembling the quilt top.

11. Sew (1) 1½" x 56½" **Fabric H** strip to each side of the Quilt Center. Sew (1) 1½" x 44½" **Fabric H** strip to the top and bottom of the Quilt Center.
12. Sew (1) 2½" x 58½" **Fabric A** strip to each side of the Quilt Center. Sew (1) 2½" x 48½" **Fabric A** strip to the top and bottom of the Quilt Center.
13. Sew (1) 4½" x 62½" **Fabric D** strip to each side of the Quilt Center. Sew (1) 4½" x 56½"

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Fabric D strip to the top and bottom of the Quilt Center to complete the quilt top which should measure 56½" x 70½".

Layering, Quilting and Finishing

14. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.

Binding


15. Sew together (7) 2½" x WOF **Fabric H** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
16. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
17. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
18. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.