

Yuletide Fun Table Set



Finished Size of Runner: **66" x 18" (1.68m x 0.46m)**

Finished Size of Place Mats: **20" x 14" (0.51m x 0.36m)**

Fabric Collection Name and Designer: **Greetings at Christmastide by Stacy West**

Technique: **Pieced**


Project Designed by: **Matthew Pridemore of The Whimsical Workshop**

Skill Level: **Confident Beginner**

Runner Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Stripe	Red	2654-08	1/3 yard (0.30m)
(B) (B) Dots	Multi	2655-68	1/2 yard (0.46m)
(C) (C) Santa Faces	Multi	2656-68	1/4 yard (0.23m)
(D) (D) Music	Gray	2659-09	1/4 yard (0.23m)
(E) (E) Santa Scenic	Multi	2660-68	1/4 yard (0.23m)
(F) (F) Holly	Multi	2661-68	1/4 yard (0.23m)
(G) (G) Texture	Red	2663-88	1 1/8 yard (1.03m)*
(H) (H) Colorful Postcards	Multi	2664-40	1/4 yard (0.23m)
(I) (I) Delicate Stripe	Green	2667-66	1/4 yard (0.23m)

* includes binding



(A)



(B)



(C)



(D)



(E)



(F)



(G)



(H)



(I)

Backing (Purchased Separately)

44" (1.12m) wide

Bells & Ornaments

Multi

2657-18

2 1/4 yards (1.84m)



Backing
44"

Additional Materials:

- Batting 74" x 26" (1.88m x 0.66m)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Runner Cutting Instructions

Notes:

- Please make sure to check henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

- (1) 1½" x WOF; subcut
 - (2) 1½" x 10½"
- (4) 1½" x WOF. Sew together end to end with diagonal seams and cut (2) 1½" x 60½"

Fabric B, cut:

- (1) 1½" x WOF; subcut
 - (2) 1½" x 16½"
- (4) 1½" x WOF. Sew together end to end with diagonal seams and cut (2) 1½" x 66½"
- (2) 1" x WOF; subcut
 - (10) 1" x 5½"
- (2) 1" x WOF; subcut
 - (10) 1" x 6½"

Fabric C, cut:

- (1) 5½" x WOF; subcut
 - (2) 5½" squares

Fabric D, cut:

- (1) 5½" square

Fabric E, cut:

- (1) 5½" x WOF; subcut
 - (2) 5½" squares

Fabric F, cut:

- (1) 1½" x WOF; subcut
 - (2) 1½" x 8½"
- (3) 1½" x WOF. Sew together end to end with diagonal seams and cut (2) 1½" x 58½"

Fabric G, cut:

- (1) 2½" x WOF; subcut
 - (2) 2½" x 12½"
- (4) 2½" x WOF. Sew together end to end with diagonal seams and cut (2) 2½" x 64½"
- (2) 1" x WOF; subcut
 - (8) 1" x 5½"
- (2) 1" x WOF; subcut
 - (8) 1" x 6½"
- (5) 2½" x WOF for the binding

Fabric H, cut:

- (1) 5½" x WOF; subcut
 - (4) 5½" squares

Fabric I, cut:

- (1) 1½" x WOF; subcut
 - (2) 1½" x 6½"
- (3) 1½" x WOF. Sew together end to end with diagonal seams and cut (2) 1½" x 56½"

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.


All free projects are intended to remain free and are not for resale.

Runner Sewing

- Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew (1) 1" x 5½" **Fabric B** strip to each side of (1) 5½" **Fabric E** square. Sew (1) 1" x 6½" **Fabric B** strip to the top and bottom of the **Fabric E** square to make (1) 6½" Block One square (**Fig. 1**). Repeat to make a second Block One square.

Fig. 1



2. Repeat Step 1 and refer to **Figures 2-4** for fabric identification, placement and orientation to make (2) Block Two square, (1) Block Three square and (4) Block Four squares.

Fig. 2




Fig. 3





Fig. 4



3. Sew together (1) Block One square, (1) Block Four square, (1) Block Two square, (1) Block Four square, (1) Block Three square, (1) Block Four square, (1) Block Two square, (1) Block Four square and (1) Block One square, in that order from left to right, to make the Runner Center (**Fig. 5**).

Fig. 5

Runner Center



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Quilt Top Assembly

Follow the Quilt Layout (Page 6) while assembling the quilt top.

4. Sew (1) 1½" x 6½" **Fabric I** strip to each side of the Runner Center. Sew (1) 1½" x 56½" **Fabric I** strip to the top and bottom of the Runner Center.
5. Sew (1) 1½" x 8½" **Fabric F** strip to each side of the Runner Center. Sew (1) 1½" x 58½" **Fabric F** strip to the top and bottom of the Runner Center.
6. Sew (1) 1½" x 10½" **Fabric A** strip to each side of the Runner Center. Sew (1) 1½" x 60½" **Fabric A** strip to the top and bottom of the Runner Center.
7. Sew (1) 2½" x 12½" **Fabric G** strip to each side of the Runner Center. Sew (1) 2½" x 64½" **Fabric G** strip to the top and bottom of the Runner Center.
8. Sew (1) 1½" x 16½" **Fabric B** strip to each side of the Runner Center. Sew (1) 1½" x 66½" **Fabric B** strip to the top and bottom of the Runner Center to complete the runner top which should measure 66½" x 18½".
11. Leaving an 8" tail of binding and beginning along an edge of the runner top, match raw edges of the binding to the raw edges of the runner top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
12. Lay both loose ends of binding flat along the runner edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the runner top.
13. Turn the binding over the raw edge to the back of the runner and hand or machine stitch in place.

Layering, Quilting and Finishing

9. Layer the backing (wrong side up), batting, and runner top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the runner.

Binding


10. Sew together (5) 2½" x WOF **Fabric G** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.


Place Mat Fabric Requirements (makes 4)

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Snowflakes	Blue	2653-11	1/3 yard (0.30m)
(B) Stripe	Red	2654-08	1/4 yard (0.23m)
(C) Poinsettia	Multi	2658-48	1/4 yard (0.23m)
(D) Christmas Blocks	Multi	2662B-68	3/4 yard (0.69m)
(E) Texture	Red	2663-88	3/8 yard (0.34m)*
(F) Postcard Collage	Beige	2665-44	1/4 yard (0.23m)
(G) Delicate Stripe	Green	2667-66	1/3 yard (0.30m)
(H) Tossed Ditsy	Green	2668-66	3/8 yard (0.34m)*

* includes binding



(A)



(B)



(C)



(D)




(E)



(F)



(G)



(H)

Backing (Purchased Separately)

44" (1.12m) wide

Santa Faces Multi 2656-68 1 1/2 yards (1.37m)



Backing
44"

Additional Materials:

- Batting (4) 24" x 18" (0.61m x 0.46m)
- Thread and sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Place Mat Cutting Instructions

Notes:

- Please make sure to check henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

Fabric A, cut:

- (2) 2" x WOF; subcut
(4) 2" x 11½"
- (2) 2" x WOF; subcut
(4) 2" x 14½"

Fabric B, cut:

- (4) 1½" x WOF; subcut
(8) 1½" x 14½"

Fabric C, cut:

- (2) 2½" x WOF; subcut
(4) 2½" x 14½"

Fabric D, fussy cut:

- (4) 11½" squares each centered on a block

Fabric E, cut:

- (4) 2½" x WOF for the binding (2) place mats #1

Fabric F, cut:

- (2) 2½" x WOF; subcut
(4) 2½" x 14½"

Fabric G, cut:

- (2) 2" x WOF; subcut
(4) 2" x 11½"
- (2) 2" x WOF; subcut
(4) 2" x 14½"

Fabric H, cut:

- (4) 2½" x WOF for the binding (2) place mats #2

Place Mat Assembly

- Sew using a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Sew (1) 2" x 11½" **Fabric G** strip to each side of (1) 11½" **Fabric D** (cream) square. Sew (1) 2" x 14½" **Fabric G** strip to the top and bottom of the **Fabric D** square to make (1) 14½" Block Five square (**Fig. 6**). Repeat to make a second Block Five square.
2. Sew (1) 2" x 11½" **Fabric A** strip to each side of (1) 11½" **Fabric D** (red) square. Sew (1) 2" x 14½" **Fabric A** strip to the top and bottom of the **Fabric D** square to make (1) 14½" Block Six square (**Fig. 7**). Repeat to make a second Block Six square.

Fig. 6






Fig. 7



3. Sew (1) 1½" x 14½" **Fabric B** strip to each side of (1) Block Five square (**Fig. 8**). Sew (1) 2½" x 14½" **Fabric C** strip to each side of the Block Five square to make (1) Place Mat


Layout #1 (**Fig. 8**). Repeat to make a second Place Mat Layout #1.

Fig. 8



4. Repeat Step 3 and refer to **Figure 9** for component identification, placement and orientation to make (2) Place Mat Layout #2's.

Fig. 9



Layering, Quilting and Finishing

5. Layer (1) backing (wrong side up), (1) batting, and (1) place mat top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the place mat. Repeat with the remaining backs, batting and place mat tops.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Binding

6. Sew together (4) 2½" x WOF **Fabric E** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together. Cut the binding strip into (2) equal pieces.
7. Leaving an 8" tail of binding and beginning along an edge of the place mat top, match raw edges of the binding to the raw edges of the place mat top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
8. Lay both loose ends of binding flat along the place mat edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the place mat top.
9. Turn the binding over the raw edge to the back of the place mat and hand or machine stitch in place.
10. Repeat Steps 7-9 with the second **Fabric E** binding strip and Place Mat #1 top.
11. Repeat Steps 6-10 using the (4) 2½" x WOF **Fabric H** binding strips and (2) Place Mat #2 tops.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.