

Nordic Star Quilt

 HENRY GLASS



Finished Size of Project: **72" x 84" (1.83m x 2.13m)**

Fabric Collection Name and Designer: **Nordic Holiday Village by Mary Jane Carey**

Technique: **Pieced**

Project Designed by: **Mary Jane Carey**

Skill Level: **Confident Beginner**

Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
(A) Dots	Cream Multi	3604-11	1¾ yard (1.60m)
(B) Dots	Red on Red	3604-88	½ yard (0.46m)
(C) Snowflakes	Red Multi	3605-89	¾ yard (0.34m)
(D) Stacked Trees	Dark Blue	3606-77	⅝ yard (0.57m)
(E) Tossed Reindeer	Light Sage Multi	3607-16	1⅓ yards (1.22m)
(F) Mini Swirls	Light Sage	3609-16	¾ yard (0.34m)
(G) Mini Swirls	Blue	3609-77	⅛ yard (0.11m)
(H) Floral Vines	Green Cream	3610-66	¾ yard (0.34m)
(I) Floral Vines	Red Cream	3610-88*	1 yard (0.91m)
(J) Border Stripe	Cream Multi	3612-44	1¾ yard (1.60m)

* includes binding



(A)



(B)




(C)



(D)



(E)



(F)



(G)



(H)



(I)



(J)

Backing (Purchased Separately)

44" (1.12m) wide

Tossed Reindeer

Light Sage Multi 3607-16

5¼ yards (4.80m)



Backing
44"

Additional Materials:

- Batting 80" x 92" (2.03m x 2.34m)
- 100% cotton thread and basic sewing supplies

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Cutting Instructions

Notes:

- Please make sure to check henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvedge to selvedge edge unless otherwise noted.
- *Strips cut Length of Fabric (LOF).

Fabric A, cut:

- (6) $3\frac{3}{4}$ " x WOF; subcut
(60) $3\frac{3}{4}$ " squares
- (5) $3\frac{1}{8}$ " x WOF; subcut
(60) $3\frac{1}{8}$ " squares
- (10) 2" x WOF; subcut
(60) 2" x $5\frac{3}{4}$ "

Fabric B, cut:

- (4) $1\frac{1}{2}$ " x WOF; sew together end to end with diagonal seams and cut (2) $1\frac{1}{2}$ " x $72\frac{1}{2}$ "
- (4) $1\frac{1}{2}$ " x WOF; sew together end to end with diagonal seams and cut (2) $1\frac{1}{2}$ " x $62\frac{1}{2}$ "

Fabric C, cut:

- (3) $3\frac{3}{4}$ " x WOF; subcut
(30) $3\frac{3}{4}$ " squares

Fabric D, cut:

- (7) $2\frac{1}{2}$ " x WOF; sew together end to end with diagonal seams and cut (4) $2\frac{1}{2}$ " x $60\frac{1}{2}$ "

Fabric E, cut:

- (4) $5\frac{1}{2}$ " x WOF; sew together end to end with diagonal seams and cut (2) $5\frac{1}{2}$ " x $74\frac{1}{2}$ "
- (4) $5\frac{1}{2}$ " x WOF; sew together end to end with diagonal seams and cut (2) $5\frac{1}{2}$ " x $72\frac{1}{2}$ "

Fabric F, cut:

- (3) $3\frac{3}{4}$ " x WOF; subcut
(30) $3\frac{3}{4}$ " squares

Fabric G, cut:

- (1) 2" x WOF; subcut
(15) 2" squares

Fabric H, cut:

- (3) $3\frac{3}{4}$ " x WOF; subcut
(30) $3\frac{3}{4}$ " squares

Fabric I, cut:

- (3) $3\frac{3}{4}$ " x WOF; subcut
(30) $3\frac{3}{4}$ " squares
- (9) $2\frac{1}{2}$ " x WOF for the binding

Fabric J, cut:

- (2) $14\frac{1}{2}$ " x $60\frac{1}{2}$ " LOF*

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Sewing

- Sew using a ¼" (0.64cm) seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
- The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.

1. Place (1) 3¾" **Fabric H** square on top of (1) 3¾" **Fabric A** square RST. Draw a line across the diagonal of the top square (**Fig. 1**). Sew ¼" away from each side of the drawn diagonal line (**Fig. 1**). Cut the squares apart on the drawn diagonal line (**Fig. 2**) to make (2) half-square triangles. Trim the half-square triangles to measure 3⅛" square to make (2) Unit 1 squares (**Fig. 3**). Repeat to make an additional (28) Unit 1 squares.


Fig. 1



Fig. 2



Fig. 3



2. Repeat Step 1 and refer to **Figures 4-8** for fabric identification and placement to make (30) of each unit square for Unit 2 through Unit 6.

Fig. 4



Fig. 5



Fig. 6





Fig. 7




Fig. 8




3. Sew (1) 3⅛" **Fabric A** square to the left side of (1) Unit 1 square to make the top row. Sew (1) Unit 2 square to the left side of (1) Unit 5 square to make the bottom row. Sew together the (2) rows lengthwise to make (1) 5¾" Unit 7 square (**Fig. 9**). Repeat to make an additional (29) Unit 7 squares.

Fig. 9



4. Repeat Step 3 and refer to **Figure 10** for component identification, placement and orientation to make (30) Unit 8 squares.

Fig. 10



5. Sew together (1) Unit 7 square, (1) 2" x 5¾" **Fabric A** rectangle, and (1) Unit 8 square, in that order from left to right, to make the top row (**Fig. 11**).

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.


Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

- Sew (1) 2" x 5 $\frac{3}{4}$ " **Fabric A** strip to each side of (1) 2" **Fabric G** square to make the middle row (**Fig. 11**).
- Sew together (1) Unit 8 square, (1) 2" x 5 $\frac{3}{4}$ " **Fabric A** rectangle and (1) Unit 7 square, in that order from left to right, to make the bottom row (**Fig. 11**).
- Sew together the (3) rows from Steps 5-7 lengthwise to make (1) 12 $\frac{1}{2}$ " Block One (**Fig. 11**). Repeat to make an additional (14) Block Ones.

Fig. 11

Block One
make 15



- Sew (1) 2 $\frac{1}{2}$ " x 60 $\frac{1}{2}$ " **Fabric D** strip to the top and bottom of (1) 14 $\frac{1}{2}$ " x 60 $\frac{1}{2}$ " **Fabric J** strip lengthwise to make (1) 60 $\frac{1}{2}$ " x 18 $\frac{1}{2}$ " Block Two strip (**Fig. 12**). Repeat to make a second Block Two strip.

Fig. 12


Block Two
make 2



- Sew together (5) Block Ones from left to right to make Row One (**Fig. 13**). Repeat to make Row Two and Row Three.
- Sew together Row One, (1) Block Two strip, Row Two, (1) Block Two strip and Row Three lengthwise and in that order from top to bottom to make the 60 $\frac{1}{2}$ " x 72 $\frac{1}{2}$ " Quilt Center (**Fig. 13**).

Fig. 13

Quilt Center



Quilt Top Assembly

Follow the Quilt Layout (Page 7) while assembling the quilt top.

- Sew (1) 1 $\frac{1}{2}$ " x 72 $\frac{1}{2}$ " **Fabric B** strip to each side of the Quilt Center. Sew (1) 1 $\frac{1}{2}$ " x 62 $\frac{1}{2}$ " **Fabric B** strip to the top and bottom of the Quilt Center.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

13. Sew (1) 5½" x 74½" **Fabric E** strip to each side of the Quilt Center. Sew (1) 5½" x 72½" **Fabric E** strip to the top and bottom of the Quilt Center to complete the quilt top which should measure 72½" x 84½".

Layering, Quilting and Finishing


14. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.
15. Sew together (9) 2½" x WOF **Fabric I** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
16. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
17. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
18. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.

Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.