

# Fall Leaves Quilt



Finished Size of Project: **54" x 54" (1.37m x 1.37m)**

Fabric Collection Name and Designer: **Oak & Berries by Jan Mott**

Technique: **Pieced**

Project Designed by: **Matthew Pridemore of The Whimsical Workshop**

Skill Level: **Confident Beginner**

# Fall Leaves Quilt

## Fabric Requirements

DESIGN	COLOR	ITEM ID	YARDAGE
<b>(A)</b> Mixed Media Leaves	Green	3648-66	½ yard (0.46m)*
<b>(B)</b> Mixed Media Leaves	Autumn	3648-83	¾ yard (0.34m)
<b>(C)</b> Grungy Texture	Cream	3649-44	½ yard (0.46m)
<b>(D)</b> Silver Dollar Petals	Cream	3651-44	⅓ yard (0.30m)
<b>(E)</b> Leaf Toss	Cream	3652-44	½ yard (0.46m)
<b>(F)</b> Leaf Toss	Green	3652-66	1 yard (0.91m)
<b>(G)</b> Allover Birds and Leaves	Cream Multi	3653-44	⅞ yard (0.80m)
<b>(H)</b> Dandelion Monotone	Ochre	3654-33	⅔ yard (0.61m)
<b>(I)</b> Dandelion Monotone	Rust	3654-35	⅝ yard (0.57m)
<b>(J)</b> Dandelion Monotone	Green	3654-66	¼ yard (0.23m)
<b>(K)</b> Bird Blocks	Autumn Multi	3656B-83	⅝ yard (0.57m)
<b>(L)</b> Poem Texture	Cream	3658-44	⅛ yard (0.11m)

\* includes binding



**(A)**



**(B)**




**(C)**



**(D)**



**(E)**



**(F)**



**(G)**



**(H)**




**(I)**



**(J)**



**(K)**



**(L)**

## Backing (Purchased Separately)

44" (1.12m) wide  
Grungy Texture

Autumn

3649-83

3½ yards (3.20m)



**Backing**  
44"

## Additional Materials:

- Batting 62" x 62" (1.58m x 1.58m)
- Thread and sewing supplies

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

## Cutting Instructions

### Notes:

- Please make sure to check [henryglassfabrics.net](http://henryglassfabrics.net) for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

### Fabric A, cut:

(6) 2½" x WOF for the binding

### Fabric B, cut:

(2) 2½" x 36½"  
(2) 2½" x 40½", piece as needed

### Fabric C, cut:

(1) 2½" x WOF; subcut  
(16) 2½" squares  
(5) 1½" x WOF; subcut  
(80) 1½" x 2½"  
(1) 1½" x WOF; subcut  
(16) 1½" squares  
(1) 4½" x WOF; subcut  
(4) 4½" squares

### Fabric D, cut:

(2) 1½" x 40½", piece as needed  
(3) 1½" x WOF; sew together end to end with diagonal seams and cut (2) 1½" x 42½"

### Fabric E, cut:

(1) 13¼" square; cut the square across both diagonals to make (4) 13¼" triangles. You will only use (2) 13¼" triangles.

### Fabric F, cut:

(1) 13¼" square; cut the square across both diagonals to make (4) 13¼" triangles. You will only use (2) 13¼" triangles.

(3) 2½" x WOF; sew together end to end with diagonal seams and cut (2) 2½" x 50½"  
(3) 2½" x WOF; sew together end to end with diagonal seams and cut (2) 2½" x 54½"

### Fabric G, cut:

(3) 4½" x WOF; sew together end to end with diagonal seams and cut (2) 4½" x 42½"  
(3) 4½" x WOF; sew together end to end with diagonal seams and cut (2) 4½" x 50½"

### Fabric H, cut:

(2) 2" x WOF; subcut  
(8) 2" x 8½"  
(3) 2" x WOF; subcut  
(8) 2" x 11½"  
(3) 1½" x WOF; subcut  
(8) 1½" x 10½"  
(3) 1½" x WOF; subcut  
(8) 1½" x 12½"

### Fabric I, cut:

(2) 2" x WOF; subcut  
(8) 2" x 8½"  
(3) 2" x WOF; subcut  
(8) 2" x 11½"  
(4) 1½" x WOF; subcut  
(80) 1½" squares

### Fabric J, cut:

(4) 1½" x WOF; subcut  
(80) 1½" squares

### Fabric K, fussy cut:

(8) 8½" squares each centered on a bird block

### Fabric L, cut:

(1) 2½" x WOF; subcut  
(16) 2½" squares

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.


All free projects are intended to remain free and are not for resale.

## Sewing

- Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Press seams towards the darker fabric, unless otherwise indicated.
  - The arrows in the figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.
- Sew (1)  $2'' \times 8\frac{1}{2}''$  **Fabric I** strip to each side of (1)  $8\frac{1}{2}''$  **Fabric K** square. Sew (1)  $2'' \times 11\frac{1}{2}''$  **Fabric I** strip to the top and bottom of the **Fabric K** square to make (1) Unit 1 square (**Fig. 1**). **Trim the unit to measure  $10\frac{1}{2}'' \times 10\frac{1}{2}''$** . Repeat to make an additional (3) Unit 1 squares.
  - Sew (1)  $2'' \times 8\frac{1}{2}''$  **Fabric H** strip to each side of (1)  $8\frac{1}{2}''$  **Fabric K** square. Sew (1)  $2'' \times 11\frac{1}{2}''$  **Fabric H** strip to the top and bottom of the **Fabric K** square to make (1) Unit 2 square (**Fig. 2**). **Trim the unit to measure  $10\frac{1}{2}'' \times 10\frac{1}{2}''$** . Repeat to make an additional (3) Unit 2 squares.


**Fig. 1**

Unit 1  
make 4



**Fig. 2**


Unit 2  
make 4




- Place (1)  $2\frac{1}{2}''$  **Fabric L** square on the top left corner of (1) Unit 1 square, right sides together (**Fig. 3**). Sew across the diagonal of the smaller square from the upper right

corner to the lower left corner (**Fig. 3**). Flip open the triangle formed and press (**Fig. 4**). Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam.

**Fig. 3**




**Fig. 4**




- Follow **Figure 5** for the seam direction to add a  $2\frac{1}{2}''$  **Fabric L** square to each of the remaining corners of the Unit 1 square to make (1)  $10\frac{1}{2}''$  Unit 3 square (**Fig. 6**).
- Repeat Steps 3-4 to make an additional (3) Unit 3 squares.

**Fig. 5**



**Fig. 6**

Unit 3  
make 4



- Sew (1)  $1\frac{1}{2}'' \times 10\frac{1}{2}''$  **Fabric H** strip to each side of (1) Unit 3 square. Sew (1)  $1\frac{1}{2}'' \times 12\frac{1}{2}''$  **Fabric H** strip to the top and bottom of the Unit 3 square to make (1)  $12\frac{1}{2}''$  Unit 4 square (**Fig. 7**). Repeat to make an additional (3) Unit 4 squares.


*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

**Fig. 7**


Unit 4  
make 4



7. Place (1)  $2\frac{1}{2}$ " **Fabric C** square on the top left corner of (1) Unit 4 square, right sides together. Sew across the diagonal of the smaller square from the upper right corner to the lower left corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam. Repeat to add a  $2\frac{1}{2}$ " **Fabric C** square to each of the remaining corners of the Unit 4 square to make (1)  $12\frac{1}{2}$ " Block One square (**Fig. 8**). Repeat to make an additional (3) Block One squares.

**Fig. 8**

Block One  
make 4




8. Place (1)  $1\frac{1}{2}$ " **Fabric J** square on the left side of (1)  $1\frac{1}{2}$ " x  $2\frac{1}{2}$ " **Fabric C** strip, right sides together (**Fig. 9**). Sew across the diagonal of the square from the upper right corner to the lower left corner (**Fig. 9**). Flip open the triangle formed and press (**Fig. 10**). Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance.

**Fig. 9**



**Fig. 10**




9. Place another  $1\frac{1}{2}$ " **Fabric J** square on the right side of the  $1\frac{1}{2}$ " x  $2\frac{1}{2}$ " **Fabric C** strip, right sides together (**Fig. 11**). Sew across the diagonal of the square from the upper left corner to the lower right corner (**Fig. 11**). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a  $\frac{1}{4}$ " seam allowance to make (1)  $1\frac{1}{2}$ " x  $2\frac{1}{2}$ " Unit 5 strip (**Fig. 12**).
10. Repeat Steps 8-9 to make an additional (39) Unit 5 strips.

**Fig. 11**



**Fig. 12**



11. Repeat Steps 8-9 and refer to **Figure 13** for fabric identification, placement and seam direction to make (40)  $1\frac{1}{2}$ " x  $2\frac{1}{2}$ " Unit 6 strips.

**Fig. 13**

Unit 6  
make 40



*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

12. Sew together (3) Unit 5 strips and (2) Unit 6 strips, end to end and alternating them from top to bottom, to make (1) 1½" x 10½" Unit 7 strip (**Fig. 14**). Repeat to make an additional (3) Unit 7 strips.
13. Repeat Step 12 to make (4) 1½" x 10½" Unit 8 strips (**Fig. 15**).

**Fig. 14**

Unit 7  
make 4



**Fig. 15**

Unit 8  
make 4



14. Sew together (3) Unit 6 strips and (2) Unit 5 strips end to end and alternating them from left to right. Sew (1) 1½" **Fabric C** square to each end of the newly sewn strip to make (1) 1½" x 12½" Unit 9 strip (**Fig. 16**). Repeat to make an additional (3) Unit 9 strips.

**Fig. 16**

Unit 9  
make 4



15. Repeat Step 14 to make (4) 1½" x 12½" Unit 10 strips (**Fig. 17**).

**Fig. 17**


Unit 10  
make 4



16. Sew (1) Unit 7 strip to the left side and (1) Unit 8 strip to the right side of (1) Unit 2 square. Sew (1) Unit 9 strip to the top and (1) Unit 10 strip to the bottom of the Unit 2 square to make (1) 12½" Block Two square (**Fig. 18**). Repeat to make an additional (3) Block Two squares.

**Fig. 18**


Block Two  
make 4



17. Sew together (2) 13¼" **Fabric F** triangles and (2) 13¼" **Fabric E** triangles as shown to make (1) Unit 11 square (**Fig. 19**). Trim the unit to measure 12½" x 12½".

**Fig. 19**

Unit 11  
make 1



18. Place (1) 4½" **Fabric C** square on the top left corner of (1) Unit 11 square, right sides together. Sew across the diagonal of the smaller square from the upper right


*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*


corner to the lower left corner. Flip open the triangle formed and press). Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam. Repeat to add a  $4\frac{1}{2}$ " **Fabric C** square to each of the remaining corners of the Unit 11 square to make (1)  $12\frac{1}{2}$ " Block Three square (**Fig. 20**).

**Fig. 20**



19. Sew (1) Block One square to each side of (1) Block Two square to make Row One (**Fig. 21**). Repeat to make Row Three.
20. Sew (1) Block Two square to each side of (1) Block Three square to make Row Two (**Fig. 21**).
21. Sew together the (3) pieced Rows, lengthwise and in numerical order from top to bottom, to make the  $36\frac{1}{2}$ " x  $36\frac{1}{2}$ " Quilt Center (**Fig. 21**).

**Fig. 21**



## Quilt Top Assembly

Follow the Quilt Layout (Page 9) while assembling the quilt top.

22. Sew (1)  $2\frac{1}{2}$ " x  $36\frac{1}{2}$ " **Fabric B** strip to each side of the Quilt Center. Sew (1)  $2\frac{1}{2}$ " x  $40\frac{1}{2}$ " **Fabric B** strip to the top and bottom of the Quilt Center.
23. Sew (1)  $1\frac{1}{2}$ " x  $40\frac{1}{2}$ " **Fabric D** strip to each side of the Quilt Center. Sew (1)  $1\frac{1}{2}$ " x  $42\frac{1}{2}$ " **Fabric D** strip to the top and bottom of the Quilt Center.
24. Sew (1)  $4\frac{1}{2}$ " x  $42\frac{1}{2}$ " **Fabric G** strip to each side of the Quilt Center. Sew (1)  $4\frac{1}{2}$ " x  $50\frac{1}{2}$ " **Fabric G** strip to the top and bottom of the Quilt Center.
25. Sew (1)  $2\frac{1}{2}$ " x  $50\frac{1}{2}$ " **Fabric F** strip to each side of the Quilt Center. Sew (1)  $2\frac{1}{2}$ " x  $54\frac{1}{2}$ " **Fabric F** strip to the top and bottom of the Quilt Center to complete the quilt top which should measure  $54\frac{1}{2}$ " x  $54\frac{1}{2}$ ".

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

## Layering, Quilting and Finishing

26. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.

## Binding


27. Sew together (6) 2½" x WOF **Fabric A** binding strips end to end with diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
28. Leaving an 8" tail of binding and beginning along an edge of the quilt top, match raw edges of the binding to the raw edges of the quilt top. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
29. Lay both loose ends of binding flat along the quilt edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, right sides matching. Trim seam to ¼" and press seam open. Finish sewing the binding to the quilt top.
30. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

## Quilt Layout



*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*