

# Picking Berries

A Free Project Sheet
NOT FOR RESALE

By Jane Shasky





### facebook.

Skill Level: Intermediate





Finished Wall Hanging Size: 46" x 52"
(116.84 cm x 132.08 cm)
Finished Runner Size: 65" x 26"
(165.10 cm x 66.04 cm)

49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525

Toll Free: 800-294-9495

www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

Finished Wall Hanging Size: 46" x 52" (116.84 cm x 132.08 cm) Finished Runner Size: 65" x 26" (165.10 cm x 66.04 cm)

### Fabrics in the Berrylicious Collection



Allover Blueberries White/Blue – 1575-17




Gingham White/Green – 1578-06




Tossed Blueberry Sprigs Green/Blue – 1582-67




Tossed Butterflies Blue/Green – 1579-16




Border Stripe Blue/Green – 1583-76




Placemat Panel 24 in x 44 in White/Blue – 1584P-07




Packed Blueberries Blue – 1576-77




Blueberry Vine White/Blue – 1580-07



Tossed Baskets and Berries Blue – 1577-17



Tossed Blueberry Blue – 1581-17



Panel 24 in x 44 in Green/Blue – 1585P-67

Select Fabrics from Folio Basics



Pigment White 7755-01W



Powder Blue 7755-07

### Page 3

#### **Wall Hanging Materials**

1 panel	Panel 24 in x 44 in - Green/Blue (A)		
_	15851	P-67	
1 yard (0.91m)	Packed Blueberries - Blue (B) 1576-	-77*	
<sup>1</sup> / <sub>4</sub> yard (0.23m)	Tossed Baskets and Berries - Blue (C)		
	1577-	-17	
3/8 yard (0.34m)	Tossed Blueberry Sprigs - Green/Blue (D		
	1582-	-67	
<sup>1</sup> / <sub>4</sub> yard (0.23m)	Tossed Blueberry - Blue (E) 1581-	-17	
½ yard (0.46m)	Gingham - White/Green (F) 1578-	-06	
½ yard (0.46m)	Folio Basics - Pigment White (G) 7755-	-01W	
% yard (0.80m)	Tossed Butterflies - Blue/Green (H)		
	1579-	-16	
3 yards (2.74m)	Blueberry Vine - White/Blue (Backing	g)	

<sup>\*</sup>Includes binding

#### **Wall Hanging Cutting Instructions**

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

1580-07

### From the Panel 24 in x 44 in - Green/Blue (A):

• Fussy cut (1) 22 ½" x 28 ½" rectangle, centered on the panel.

### From the Packed Blueberries - Blue (B), cut:

- (2) 2" x 28 ½" WOF strips.
- (2) 2" x 25 ½" WOF strips.
- (2) 1 ½" x 42 ½" WOF strips, piece as needed.
- (2) 1 ½" x 38 ½" WOF strips.
- (5) 2 ½" x WOF strips for the binding.

### From the Tossed Baskets and Berries - Blue (C), cut:

• (1)  $4\frac{1}{2}$ " x WOF strip. Sub-cut (8)  $4\frac{1}{2}$ " squares.

#### From the Tossed Blueberry Sprigs - Green/Blue (D), cut:

• (2) 4 ½" x WOF strips. Sub-cut (14) 4 ½" squares and (1) 4 ½" x 6 ½" strip.

### From the Tossed Blueberry - Blue (E), cut:

• (1) 4 ½" x WOF strip. Sub-cut (6) 4 ½" squares and (1) 4 ½" x 6 ½" strip.

### From the Gingham - White/Green (F), cut:

- (16) Template 1 triangles.
- (16) Template 2 triangles.
- (2) Template 3 triangles.
- (2) Template 4 triangles.

### From the Folio Basics - Pigment White (G), cut:

- (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" squares.
- (16) Template 1 triangles.
- (16) Template 2 triangles.
- (2) Template 3 triangles.
- (2) Template 4 triangles.

### From the Tossed Butterflies - Blue/Green (H), cut:

- (3) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 44 ½" strips.
- (3) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 46 ½" strips.

### From the Blueberry Vine - White/Blue (Backing), cut:

• (2) 54" x WOF strips for the backing. Sew the strips together and trim to make the 54" x 60" back.


#### Wall Hanging Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a ¼" seam allowance with right sides together (RST) unless otherwise noted.

1. Sew (1) 2" x 28 ½"
Fabric B strip to each side of the 22 ½" x 28 ½"
Fabric A rectangle. Sew (1) 2" x 25 ½" Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Center Block (Fig. 1).

Trim the block to

measure 24 ½" x 30 ½".




- 2. Sew together (1) 4 ½" Fabric D square, (1) 4 ½" Fabric C square, (1) 4 ½" Fabric D square, (1) 4 ½" x 6 ½" Fabric E strip, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric C square and (1) 4 ½" Fabric D square, in that order from top to bottom, to make the Inner Left Side Border (Fig. 2).
- 3. Sew together (1) 4 ½" Fabric C square, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric E square, (1) 4 ½" Fabric D strip, (1) 4 ½" Fabric C square, (1) 4 ½" Fabric D square and (1) 4 ½" Fabric E square, in that order from top to bottom, to make the Inner Right Side Border (Fig. 3).


Inner Left Side Border		Inner Right Side Border			
	D			C	
	C			D	
	D			Ε	
	Е			D	
	D			С	
	С			D	
	D			Е	
	Fig.	2		Fig.	3

### Page 4


4. Sew together (1) 4 ½" Fabric C square, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric E square, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric C square, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric E square and (1) 4 ½" Fabric D square, in that order from left to right, to make the Inner Top Border (Fig. 4).




5. Sew together (1) 4 ½" Fabric E square, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric C square, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric E square, (1) 4 ½" Fabric D square, (1) 4 ½" Fabric C square and (1) 4 ½" Fabric D square, in that order from left to right, to make the Inner Bottom Border (Fig. 5).




6. Follow Figure 6 and sew together along their long sides (1) Fabric G Template 1 triangle and (1) Fabric F Template 1 triangle to make (1) 2 ½" x 4 ½" Block One rectangle (Fig. 7). Repeat to make (16) Block One rectangles total.




7. Repeat Step 6 and refer to Figures 8-11 for fabric identification, placement and orientation to make (16) Block Two rectangles, (2)  $2\frac{1}{2}$ " x  $3\frac{1}{2}$ " Block Three rectangles and (2)  $2\frac{1}{2}$ " x  $3\frac{1}{2}$ " Block Four rectangles.




- 8. Refer to Figure 12 and sew together (4) Block One rectangles, (4) Block Two rectangles, (1) Block Three rectangle and (1) Block Four rectangle end to end to make the Outer Left Side Border.
- 9. Repeat Step 8 and refer to Figure 13 for component identification, placement and orientation to make the Outer Right Side Border.



10. Sew together (4) Block Two rectangles and (4) Block One rectangles end to end and alternating them from left to right. Sew (1) 2 ½" Fabric G square to each end of the newly sewn strip to make the Outer Top Border (Fig. 14).



11. Sew together (4) Block One rectangles and (4) Block Two rectangles end to end and alternating them from left to right. Sew (1) 2 ½" Fabric G square to each end of the newly sewn strip to make the Outer Bottom Border (Fig. 15).



### Page 5

# Wall Hanging Top Assembly (Follow the Wall Hanging Layout in Figure 16 while assembling the wall hanging top.)

- 12. Sew the Inner Left Side Border and Inner Right Side Border to the left and to the right sides of the Center Block.
- 13. Sew the Inner Top Border and the Inner Bottom Border to the top and to the bottom of the Center Block.
- 14. Sew the Outer Left Side Border and the Outer Right Side Border to the left and right sides of the Center Block.
- 15. Sew the Outer Top Border and Outer Bottom Border to the top and to the bottom of the Center Block.

- 16. Sew (1) 1 ½" x 42 ½" Fabric B strip to each side of the Center Block. Sew (1) 1 ½" x 38 ½" Fabric B strip to the top and to the bottom of the Center Block.
- 17. Sew (1) 4 ½" x 44 ½" Fabric H strip to each side of the Center Block. Sew (1) 4 ½" x 46 ½" Fabric H strip to the top and to the bottom of the Center Block to make the quilt top.
- 18. Layer and quilt as desired.
- 19. Sew the (5) 2 ½" x WOF Fabric B strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 20. Bind as desired.




Fig. 16

### Page 6

#### **Runner Materials**

<sup>1</sup> / <sub>3</sub> yard (0.30m)	Gingham - White/Green (A)	1578-06
½ yard (0.11m)	Tossed Blueberry - Blue (B)	1581-17
5/8 yard (0.57m)	Packed Blueberries - Blue (C)	1576-77*
3/8 yard (0.34m)	Folio Basics - Pigment White (D)	7755-01W
<sup>1</sup> / <sub>4</sub> yard (0.23m)	Folio Basics - Powder Blue (E)	7755-07
<sup>1</sup> / <sub>3</sub> yard (0.30m)	Blueberry Vine - White/Blue (F)	1580-07
2 yards (1.83m)	Border Stripe - Blue/Green (G)	1583-76
2 ½ yards (1.94m)	Tossed Butterflies - Blue/Gree	n (Backing)
		1579-16

<sup>\*</sup>Includes binding

#### **Runner Cutting Instructions**

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

### From the Gingham - White/Green (A), cut:

- (1) 4 ½" x WOF strip. Sub-cut (4) 4 ½" x 10 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" x 5 ½" strips.

### From the Tossed Blueberry - Blue (B), cut:

• (1) 1 ½" x WOF strip. Sub-cut (4) 1 ½" x 10 ½" strips.

### From the Packed Blueberries - Blue (C), cut:

- (1) 4" x WOF strip. Sub-cut (8) 4" x 4 ½" strips.
- (5) 2 ½" x WOF strips for the binding.

### From the Folio Basics - Pigment White (D), cut:

- (1) 2 ½" x WOF strip. Sub-cut (8) 2 ½" squares and (8) 1 ½" squares.
- (1) 2" x WOF strip. Sub-cut (8) 2" x 4 ½" strips.
- (2) 1" x WOF strips. Sub-cut (8) 1" x 10 ½" strips.
- (3) 1" x WOF strips. Sub-cut (8) 1" x 11 ½" strips.

### From the Folio Basics - Powder Blue (E), cut:

- (3) 1" x WOF strips. Sub-cut (8) 1" x 11 ½" strips.
- (3) 1" x WOF strips. Sub-cut (8) 1" x 12 ½" strips.

### From the Blueberry Vine - White/Blue (F), cut:

- (2) 1 ½" x WOF strips. Sub-cut (5) 1 ½" x 12 ½" strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 53 ½" strips.

### From the Border Stripe - Blue/Green (G), cut:

- (2) 6 ½" x 30" Length of Fabric (LOF) strips.
- (2) 6 ½" x 69" LOF strips.

### From the Tossed Butterflies - Blue/Green (Backing), cut:

• (1) 73" x 34" WOF strip for the backing.

### **Runner Block Assembly**

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a ¼" seam allowance with right sides together (RST) unless otherwise noted.

21. Place (1) 2 ½" Fabric D square on the top left corner of (1) 4 ½" x 4" Fabric C strip, right sides together (Fig. 17). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 17). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) Unit 1 rectangle (Fig. 18). Repeat to make (4) Unit 1 rectangles total.





Fig. 17

Fig. 18

22. Place (1) 2 ½" Fabric D square on the upper right corner of (1) 4 ½" x 4" Fabric C strip, right sides together (Fig. 19). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 19). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam to make (1) Unit 2 rectangle (Fig. 20). Repeat to make (4) Unit 2 rectangles total.






Ի1g. 15

Fig. 2

- 23. Sew (1) 2" x 4 ½" Fabric D strip to the top of (1) Unit 1 rectangle lengthwise to make (1) Unit 3 rectangle (Fig. 21). Repeat to make (4) Unit 3 rectangles total.
- 24. Sew (1) 2" x 4 ½" Fabric D strip to the top of (1) Unit 2 rectangle lengthwise to make (1) Unit 4 rectangle (Fig. 22). Repeat to make (4) Unit 4 rectangles total.



Unit 4 make 4 D

Fig. 22

### Page 7

25. Sew (1) Unit 3 rectangle, (1) 2 ½" x 5 ½" Fabric A strip and (1) Unit 4 rectangle together in that order from left to right to make (1) Unit 5 strip (Fig. 23). Repeat to make (4) Unit 5 strips total.




Fig. 23

26. Place (1) 1 1/2" Fabric D square on the bottom left corner of (1) 4 ½" x 10 ½" Fabric A strip, right sides together (Fig. 24). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 24). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam (Fig. 25).







Fig. 24

27. Follow Figure 26 for the seam direction to add a 1 ½" Fabric D square to the lower right corner of the 4 ½" x 10 ½" Fabric A strip to make (1) Unit 6 strip (Fig. 27).


28. Repeat Steps 26-27 to make (4) Unit 6 strips total.




29. Sew together (1) Unit 5 strip, (1) 1 ½" x 10 ½" Fabric B strip and (1) Unit 6 strip, lengthwise and in that order from top to bottom, to make (1) 10 ½" Unit 7 square (Fig. 28). Repeat to make (4) Unit 7 squares total.



30. Sew (1) 1" x 10 ½" Fabric D strip to each side of (1) Unit 7 square. Sew (1) 1" x 11 ½" Fabric D strip to the top and to the bottom of the Unit 7 square to make (1) 11 ½" Unit 8 square (Fig. 29). Repeat to make (4) Unit 8 squares



31. Sew (1) 1" x 11 1/2" Fabric E strip to each side of (1) Unit 8 square. Sew (1) 1" x 12 ½" Fabric E strip to the top and to the bottom of the Unit 8 square to make (1) 12 ½" Block Five square (Fig. 30). Repeat to make (4) Block Five squares total.



### Page 8

32. Sew together (4) Block Five squares and (3) 1 ½" x 12 ½" Fabric F strips lengthwise, alternating them from left to right, to make the 51 ½" x 12 ½" Center Block (Fig. 31 below).

### **Runner Top Assembly**

(Follow the Runner Layout in Figure 33 while assembling the runner top.)

- 33. Sew (1) 1 ½" x 12 ½" Fabric F strip to each end of the Runner Center Block. Sew (1) 1 ½" x 53 ½" Fabric F strip to the top and to the bottom of the Runner Center Block.
- 34. Center (1) 6 ½" x 30" Fabric G strip on (1) end of the Center Block and pin in place. Start sewing the strip a ½" from the top edge of the block and stop a ½" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.
- 35. Repeat Step 34 to sew (1) 6 ½" x 69" Fabric G strip to the top and to the bottom of the Center Block, making sure to stop and start ¼" away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 32).

36. Starting at the sewn seam (represented by the arrow in Figure 32), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ½" seam. Repeat this step with the remaining corners to make the Runner top.





Fig. 32

- 37. Layer and quilt as desired.
- 38. Sew the (5) 2 ½" x WOF Fabric C strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 39. Bind as desired.



Runner Layout





Fig. 33

### Page 9



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check <a href="https://www.henryglassfabrics.net">www.henryglassfabrics.net</a> for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.