





Wall Hanging

Pillows

Finished Size Wall Hanging: 44¾" x 54½" (1.14m x 1.38m) Finished Size Pillow: 16" x 16" (40.64cm x 40.64cm)

Fabric Collection Name and Fabric Designer: Faith in Full Color by City Art Studio

Technique: Pieced

Designed by: Denise Russell of Pieced Brain

Skill Level: **Beginner**Tech Edited by: **Julie Kentner**




Fabric Requirements

DESIGN		COLOR	ITEM ID	YARDAGE
(A)	Geometric Stained Glass	Light Blue/Multi	2180-17	% yard (0.57m)
(B)	Stained Glass Cross	Turquoise/Multi	2183-73	¾ yard (0.69m)
(C)	Stained Glass	Turquoise/Multi	2185-75	½ yard (0.46m)
(D)	Window Panel	Turquoise/Black	2186P-79	¾ yard (0.61m)
(E)	Wavy Stained Glass	Turquoise/ Multi	2187-78	⅓ yard (0.30m)
(F)	Folio Basics	White	7755-01W	½ yard (0.46m)
(G)	Folio Basics	Jade	7755-61*	% yard (0.80m)
(H)	Folio Basics	Cerulean Blue	7755-71+	¾ yard (0.61m)

^{*} Wall Hanging Binding

⁺ Pillow Binding

















Backing (Purchased Separately)

44" (1.12m) wide Tossed Chalice OR 108" (2.74m) wide	Turquoise/Multi	2182-73	4 yards (3.66m)
Kaleiodoscope	Turquoise/Green	2178-76	2 yards (1.83m)





Backing 44"

Backing 108"

Additional Materials

- 100% Cotton Thread
- Batting: $53" \times 63"$ (1.35m × 1.60m), (2) 20%" (52cm) squares for pillows if quilting
- (2) 16" Pillow Forms



Cutting

Notes:

- Please check www.henryglassfabrics.net for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.
- WH = Wall Hanging, P = Pillows

Fabric A, cut:

- (3) 2" x WOF Border 2 (P)
- (4) 21/2" x WOF Border 2 (WH)

Fabric B, cut:

(5) 4½" x WOF Border 8 (WH)

Fabric C, cut:

- (4) 2" x WOF Border 5 (WH)
- (4) 2" x WOF Border 3 (P)

Fabric D, cut:

- (1) 19¼" x 29" rectangle (WH)
- (2) 9" squares (P)

Fabric E, cut:

(5) 1½" x WOF Border 9 (WH)

Fabric F, cut:

- (4) 1½" x WOF Border 3 (WH)
- (4) 1½" x WOF Border 7 (WH)

Fabric G, cut:

- (2) 11/4" x WOF Border 1 (P)
- (4) 11/2" x WOF Border 1 (WH)
- (6) 2½" x WOF Binding (WH)

Fabric H, cut:

- (4) 11/4" x WOF Border 4 (WH)
- (4) 11/4" x WOF Border 6 (WH)

3 of 8

(4) 2½" x WOF Binding (P)



Wall Hanging Top Assembly

Notes:

- Follow the **Wall Hanging Layout** Diagram (page 6) while assembling the wall hanging .
- All seam allowances are ¼" (0.64cm).
- Sew pieces with right sides together (RST) using neutral or coordinating thread. Press seam allowances open unless otherwise indicated.



- 1. Gather (2) 1½" x WOF **Fabric G** strips for Border 1. Trim each strip to 1½" x 29". Sew (1) strip to the left and right sides of the 19¼" x 29" **Fabric D** rectangle. Press seams toward the borders. Measure the width of the wall hanging through the center. Trim the remaining 1½" x WOF **Fabric G** border strips to that length and sew (1) to the top and (1) to the bottom of the wall hanging. Press seams toward the borders.
- 2. For Border 2, measure the vertical length of the wall hanging through the center and trim (2) 2½" x WOF **Fabric A** border strips to that length. Sew (1) strip to the left and right sides of the wall hanging. Press seams toward the borders. Measure the width of the wall hanging through the center. Trim (2) 2½" x WOF **Fabric A** border strips to that length and sew (1) to the top and (1) to the bottom of the wall hanging. Press seams toward the borders.
- 3. Repeat Step 2 with (4) 1½" x WOF **Fabric F** strips to add Border 3.
- 4. Repeat Step 2 with (4) 1¼" x WOF **Fabric H** strips to add Border 4.
- 5. Repeat Step 2 with (4) 2" x WOF **Fabric C** strips to add Border 5.
- 6. Repeat Step 2 with (4) 1¼" x WOF **Fabric H** strips to add Border 6.
- 7. For Border 7, sew (4) 1½ x WOF **Fabric F** strips together end to end using diagonal seams. Measure the vertical length of the wall hanging through the center and cut (2) **Fabric F** border strips to that length. Sew (1) strip to the left and right sides of the wall hanging. Press seams toward the borders. Measure the width of the wall hanging through the center and cut (2) **Fabric F** border strips to that length. Sew (1) to the top and (1) to the bottom of the wall hanging. Press seams toward the borders.
- 8. Sew (5) $4\frac{1}{2}$ x WOF **Fabric B** strips together end to end using straight seams (due to the print). Repeat Step 7 to make and add Border 8.
- 9. Repeat Step 7 with (5) 1½" x WOF **Fabric E** strips to make and add Border 9.




Finishing

- 10. Sew together (6) 2½" x WOF **Fabric G** binding strips end to end using diagonal seams. Press seams open, then press the binding strip in half with the wrong sides together. Set aside until the wall hanging is ready for binding.
- 11. Once the wall hanging is complete it is ready for quilting! It can be sent out for longarm quilting or you can quilt it yourself. If you are sending it out, it is important to discuss backing and batting requirements with the quilter to ensure they have everything needed to properly finish the wall hanging.
- 12. If quilting yourself and using 44" fabric for backing, choose your favorite method for piecing (taking time to remove selvages), then layer, baste and quilt. Once finished, trim excess batting and backing and bind according to your favorite method.
- 13. To complete binding by hand, it must first be machine sewn to the top. Leaving an 8" tail of binding, sew binding to top through all layers, matching raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along the edge. Where the two loose ends meet, fold each side back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to ¼" and press seam open. The binding will naturally fold, wrong sides together, and lay along the edge. Finish sewing binding to the wall hanging. Turn and press the binding to the back and hand stitch in place.
- 14. If machine binding, complete the steps above only attach the binding to the BACK, turn and press binding to the front and machine stitch in place.



Wall Hanging Layout





Pillow Assembly

Notes:

- Follow the Pillow Layout Diagram (page 8) while assembling the pillows.
- All seam allowances are ¼" (0.64cm).
- Sew pieces with right sides together (RST) using neutral or coordinating thread. Press seam allowances open unless otherwise indicated.





- 1. Gather (2) 9" **Fabric D** squares and the 1¼" x WOF **Fabric G** strips for Border 1. Subcut (4) 1¼" x 9" rectangles then sew (1) rectangle to the left and right sides of both 9" **Fabric D** squares. Press seams away from the center. Subcut (4) 1¼" x 10½" **Fabric G** rectangles and sew (1) rectangle to the top and bottom of both squares. Press as before.
- 2. For Border 2, measure the vertical length of one pillow top through the center and subcut (2) 2" x WOF **Fabric A** border strips to that length. Sew (1) strip to the left and right sides of the pillow center. Press seams toward the borders. Measure the width of the pillow through the center. Subcut (2) **Fabric A** border strips to that length and sew (1) to the top and (1) to the bottom of the pillow top. Press seams toward the borders. Repeat for the second pillow top.
- 3. Repeat Step 2 with the (4) 2" x WOF **Fabric C** strips to add Border 3. Pillow tops measure approximately 16½" x 16½".
- 4. If the pillows will be quilted, lay a pillow top on the batting and pin or baste layers together. Mark the quilting design and quilt by hand or machine. When the quilting is complete, remove pins or basting, and trim the batting even with the pillow top raw edges.
- 5. Cut (4) 12" x 16½" rectangles (or 12" by the unfinished size of the pillow front if different than 16½") from the backing fabric. Sew a double ¼" hem on one 12" edge of the (4) backing rectangles. Place one of the pillow tops right side down (RSD) on a table or flat surface. Place one hemmed backing rectangle right side up on top, matching the bottom raw edges. Place the second backing rectangle on top, matching the top raw edges. The hemmed edges of the backing pieces will overlap towards the center. Pin around all edges and sew the layers together with a ¼" seam. Trim edges. Repeat with the second pillow top.
- 6. Join (4) 2½" x WOF **Fabric H** binding strips together end to end using a diagonal seam to make one long strip. With wrong sides together, fold in half lengthwise and press. Sew the binding to the edges of the pillows, mitering corners and overlapping ends. Fold the binding to the back of the pillows and stitch it in place by hand.
- 7. Insert the pillow forms through the overlapped back openings to finish.



Pillow Layout

