


Finished Size of Project: **64.5" x 79.5" (1.64m x 2.02m)**  
Fabric Collection Name and Designer: **Snips by Goldi L. Studio**  
Technique: **Pieced**  
Project Designed by: **Denise Russell of Pieced Brain**  
Skill Level: **Advanced Beginner**

## Fabric Requirements


DESIGN	COLOR	ITEM ID	YARDAGE
(A) Snips	42-count package of 5" squares		2 packages
(B) Snips	Pigeon	2443-92	¾ yard (0.69m)
(C) Snips	Black	2443-99*	1⅓ yards (1.52m)
(D) Snips	Rainbow	2443-108	½ yard (0.46m)
(E) Folio Basics	White	7755-01W White	3¼ yards (2.97m)

\* includes binding



## Backing (Purchased Separately)

44" (1.12m) wide			
Snips	Rainbow	2443-108	4⅞ yards (4.46m)
OR			
108" (2.74m) wide			2⅞ yards (1.94m)



Backing  
44"

## Additional Materials:

- Batting 73" x 88"
- Thread and sewing supplies

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

## Cutting Instructions

### Notes:

- Please make sure to check [henryglassfabrics.net](http://henryglassfabrics.net) for pattern updates prior to starting the project.
- All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

### Fabric B, cut:

(3) 6½" x WOF; subcut (48) 2" x 6½" sashing rectangles

### Fabric C, cut:

(8) 3½" x WOF; subcut (80) 3½" squares

(8) 2½" x WOF for binding

(2) 2" x WOF; subcut (32) 2" cornerstone squares

### Fabric D, cut:

(5) 2½" x WOF; subcut (80) 2½" squares

### Fabric E, cut:

(1) 14" x WOF; subcut:

(15) 2" x 14" sashing rectangles

(8) 2" x 8" sashing rectangles

(7) 6½" x WOF; subcut:

(130) 2" x 6½" rectangles

(7) 2" x 8" sashing rectangles

(4) 5" x WOF; subcut (80) 2" x 5" rectangles


(7) 3½" x WOF for the border

(1) 2" x WOF; subcut (10) 2" squares


## SEWING

**Note:** All seam allowances are  $\frac{1}{4}$ " (0.64cm). Sew pieces with right sides together. Press seam allowances open unless otherwise indicated.

1. Sew a 2" x 5" **Fabric E** rectangle to the right side of (80) 5" print squares. Press the seams away from the center. Sew a 2" x 6½" **Fabric E** rectangle to the bottom of each unit, as shown. Press as before (**Fig. 1**).



2. Draw a diagonal line on the wrong side of the 3½" **Fabric C** and 2½" **Fabric D** squares. With right sides together, place a marked **Fabric D** square on the top left corner of a step 1 unit and stitch on the drawn line. Sew a marked **Fabric C** square to the opposite corner. Trim the seam allowances to  $\frac{1}{4}$ " and press open. Repeat to make (80) 6½" blocks (**Fig. 2**).



## QUILT ASSEMBLY

**Note:** Follow the quilt Layout Diagram (page 6) while assembling the top.

3. Lay out 10 rows of 8 blocks and (7) 2" x 6½" sashing rectangles, noting block orientation and sashing color, as follows:
  - Block rows 1 and 10: 8 blocks and (7) 2" x 6½" **Fabric E** sashing rectangles.
  - Block rows 2 – 9: 8 blocks, (4) 2" x 6½" **Fabric E** and (3) 2" x 6½" **Fabric B** sashing rectangles.
4. Sew the blocks and sashing together in each row. Press the seams toward the sashing.
5. To make the horizontal sashing rows, sew together the sashing rectangles and cornerstone squares as follows, pressing the seams toward the sashing:
  - Sashing rows (SR) 1, 3, 5, 7, and 9: (2) 2" x 6½" and (3) 2" x 14" **Fabric E** sashing rectangles, and (4) 2" **Fabric C** cornerstone squares.
  - SR 2, 4, 6, and 8: (2) 2" x 8" **Fabric E** and (6) 2" x 6½" **Fabric B** sashing rectangles, (3) 2" **Fabric C**, and (2) 2" **Fabric E** cornerstone squares.
6. Nesting adjacent seams, sew the block and horizontal sashing rows together. Press the seams in one direction.
7. For the border, sew the (7) 3½" **Fabric E** strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut 2 border strips to that length. Sew one strip to each side of

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

the quilt top and press the seams toward the borders. Measure the width of the quilt top through the center. Cut 2 border strips to that length and sew one to the top and one to the bottom. Press the seams toward the borders.

## FINISHING


8. Sew together the (8) 2½" **Fabric C** binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half with the wrong sides together.
9. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top of the quilt.
10. Leaving an 8" tail of binding and beginning along an edge of the quilt, matching the raw edges of the binding to the raw edges of the quilt. Sew the binding to the outside edge around all four sides and miter corners. Stop sewing approximately 12" from where you started and backstitch.
11. Lay both loose ends of the binding flat along the quilt's edge. Where these two loose ends meet, fold them back onto themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together, with the right sides matching. Trim the seam to ¼" and press it open. Finish sewing the binding to the quilt.
12. Turn the binding over the raw edge to the back of the quilt and hand or machine stitch in place.

*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.*

*Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*

## Quilt Layout



*All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies. Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.*

*All free projects are intended to remain free and are not for resale.*