Buttermik Winter

A Free Project Sheet
NOT FOR RESALE

By Stacy West of Buttermilk Basin



Quilt Design by Lisa Loessel

Quilt 2

Skill Level: Advanced





facebook.

Finished Quilt Size: 76 ½" x 99 ½" 49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525

Toll Free: 800-294-9495 www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Panel - Cream 2281P-33

Mini Swiggle - Black

2284-99

Basket Weave - Cream

2286-33

Diamond Weave - Gold

2287-44

Floating Geo - Black

2288-99

Select Fabrics from Spirit of America

Yarn Dyes



Mini Swiggle - Green 2284-66



Mini Cross - Black 2285-99



Diamond Weave - Cream 2287-34



Floating Geo - Cream 2288-34



Mini Buffalo Check - Red 2289-88



Border Stripe - Cream 2282-33



Novelty Toss - Black 2283-99



Mini Cross - Cream 2285-33



Basket Weave - Green 2286-66



Diamond Weave - Green 2287-66



Mini Buffalo Check - Cream 2289-33



8900Y-36



Novelty Toss - Cream 2283-33



Mini Swiggle - Cream 2284-33



Mini Cross - Red 2285-88



Basket Weave - Red 2286-88



Floating Geo - Cream/Red 2288-33



Mini Buffalo Check Cream/Red - 2289-44



Check Tangle - Taupe/Green Dash Dobbie - Charcoal/Black 8902Y-99

Page 1

Materials

1/4 yard	Mini Buffalo Check - Cream (A)	2289-33
3/8 yard	Floating Geo - Black (B)	2288-99
1 ¹ / ₃ yards	Floating Geo - Cream (C)	2288-34
¾ yard	Diamond Weave - Cream (D)	2287-34
3/4 yard	Basket Weave - Green (E)	2286-66
1 % yards	Novelty Toss - Black (F)	2283-99
²⁄₃ yard	Basket Weave - Cream (G)	2286-33
1/8 yard	Mini Cross - Cream (H)	2285-33
⅓ yard	Basket Weave - Red (I)	2286-88
1/3 yard	Mini Cross - Black (J)	2285-99
½ yard	Diamond Weave - Gold (K)	2287-44
⅔ yard	Mini Swiggle - Green (L)	2284-66
⅔ yard	Mini Buffalo Check - Cream/Red (M)	2289-44
1/4 yard	Floating Geo - Cream/Red (N)	2288-33
1 ¼ yards	Mini Buffalo Check - Red (O)	2289-88*
1 yard	Mini Cross - Red (P)	2285-88
⅓ yard	Novelty Toss - Cream (Q)	2283-33
1/8 yard	Check Tangle - Taupe/Green (R)	8900Y-36
1/8 yard	Dash Dobbie - Charcoal/Black (S)	8902Y-99
1/4 yard	Mini Swiggle - Black (T)	2284-99
3 yards	Border Stripe - Cream (U)	2282-33
6 yards	Novelty Toss - Cream (Backing)	2283-33

^{*}Includes binding

Cutting Instructions

Please note: all strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Mini Buffalo Check - Cream (A), cut:

- (1) 2 ½" x WOF strip. Sub-cut (3) 2 ½" x 4 ½" strips and (3) 2 ½" x 6 ½" strips.
- (3) Template 1.

From the Floating Geo - Black (B), cut:

- (27) Template 1.
- (7) Template 2.

From the Floating Geo - Cream (C), cut:

- (2) 2 %" x WOF strips. Sub-cut (19) 2 %" squares. Cut the squares across (1) diagonal to make (38) triangles.
- (10) 2 ½" x WOF strips. Sub-cut (151) 2 ½" squares.
- (7) 1 ½" x WOF strips for the Fabric C border.

From the Diamond Weave - Cream (D), cut:

- (2) 2 1/8" x WOF strips. Sub-cut (26) 2 1/8" squares. Cut the squares across (1) diagonal to make (52) triangles.
- (4) 2 ½" x WOF strips. Sub-cut (55) 2 ½" squares.
- (1) 2 ½" x WOF strip. Sub-cut (3) 2 ½" x 6 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (3) 2 ½" x 8 ½" strips.

From the Basket Weave - Green (E), cut:

- (2) 2 ½" x WOF strips. Sub-cut (12) 2 ½" x 4 ½" strips and (2) 2 ½" x 6 ½" strips.
- (3) 2 ½" x WOF strips. Sub-cut (18) 2 ½" x 6 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (8) 2 ½" x 8 ½" strips.
- (5) Template 2.

From the Novelty Toss - Black (F), cut:

- (1) 7" x WOF strip. Sub-cut (5) 7" squares. Cut the squares across both diagonals to make (20) 7" triangles.
 (1) 3 3/4" x WOF strip. Sub-cut (2) 3 3/4" squares and
- (1) 3 ¾" x WOF strip. Sub-cut (2) 3 ¾" squares and (5) 2 ½" x 4 ½" strips. Cut the squares across one diagonal to make (4) 3 ¾" triangles.
- (8) 3 ½" x WOF strips for the Fabric F border.
- (3) 2 ½" x WOF strips. Sub-cut (15) 2 ½" x 6 ½" strips.
- (3) 2 ½" x WOF strips. Sub-cut (10) 2 ½" x 8 ½" strips.
- (15) Template 1.
- (6) Template 2.

From the Basket Weave - Cream (G), cut:

- (1) 2 %" x WOF strip. Sub-cut (14) 2 %" squares. Cut the squares across (1) diagonal to make (28) triangles.
- (5) 2 ½" x WOF strips. Sub-cut (71) 2 ½" squares.

From the Mini Cross - Cream (H), cut:

• (1) 2 ½" x WOF strip. Sub-cut (16) 2 ½" squares.

From the Basket Weave - Red (I), cut:

- (1) 2 ½" x WOF strip. Sub-cut (7) 2 ½" x 4 ½" strips.
- (3) 2 ½" x WOF strips. Sub-cut (13) 2 ½" x 6 ½" strips and (2) 2 ½" x 8 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" x 8 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (10) 2 ½" x 7 ½" strips.
- (3) 2 ½" x WOF strips. Sub-cut (10) 2 ½" x 9 ½" strips.

From the Mini Cross - Black (J), cut:

- (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" x 4 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" x 6 ½" strips.
- (3) Template 1.

From the Diamond Weave - Gold (K), cut:

- (1) 2 ½" x WOF strip. Sub-cut (7) 2 ½" x 4 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (7) 2 ½" x 6 ½" strips.
- (4) Template 1.
- (15) Template 2.

From the Mini Swiggle - Green (L), cut:

- (1) 2 ½" x WOF strip. Sub-cut (2) 2 ½" x 4 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (6) 2 ½" x 6 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" x 8 ½" strips.
- (7) Template 1.
- (21) Template 2.

From the Mini Buffalo Check - Cream/Red (M), cut:

- (1) 2 ½" x WOF strip. Sub-cut (5) 2 ½" x 4 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (12) 2 ½" x 6 ½" strips.
- (3) 2 ½" x WOF strips. Sub-cut (9) 2 ½" x 8 ½" strips and (2) 2 ½" x 6 ½" strips.

From the Floating Geo - Cream/Red (N), cut:

• (1) 2 ½" x WOF strip. Sub-cut (3) 2 ½" x 4 ½" strips and (3) 2 ½" x 6 ½" strips.

Page 2

From the Mini Buffalo Check - Red (O), cut:

- (1) 2 ½" x WOF strip. Sub-cut (6) 2 ½" x 6 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (6) 2 ½" x 8 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" x 9 ½" strips.
- (9) 2 ½" x WOF strips for the binding.
- (9) 2 ½" x WOF strips for the Fabric O border.

From the Mini Cross - Red (P), cut:

- (2) 2 ½" x WOF strips. Sub-cut (11) 2 ½" x 4 ½" strips, (1) 2 ½" x 6 ½" strip, and (2) 2 ½" x 8 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (12) 2 ½" x 6 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (10) 2 ½" x 7 ½" strips.
- (3) 2 ½" x WOF strips. Sub-cut (10) 2 ½" x 9 ½" strips.

From the Novelty Toss - Cream (Q), cut:

- (1) 2 ½" x WOF strip. Sub-cut (6) 2 ½" x 6 ½" strips.
- (2) 2 ½" x WOF strips. Sub-cut (6) 2 ½ x 8 ½" strips.

From the Check Tangle - Taupe/Green (R), cut:

• (5) Template 2

From the Dash Dobbie - Charcoal/Black (S), cut:

• (1) 2 ½" x WOF strip. Sub-cut (2) 2 ½" x 6 ½" strips and (2) 2 ½" x 8 ½" strips.

From the Mini Swiggle - Black (T), cut:

- (1) 2 ½" x WOF strip. Sub-cut (3) 2 ½" x 6 ½" strips.
- (1) 2 ½" x WOF strip. Sub-cut (3) 2 ½" x 8 ½" strips.

From the Border Stripe - Cream (U):

• Fussy cut (4) 5 ½" x length of fabric strips, each centered on the broad stripe.

From the Novelty Toss - Cream (Backing), cut:

• (2) 108" x WOF strips for the backing. Sew the strips together and trim to make the 84 ½" x 108" back.

Block Assembly

- 1. Place (1) 2 ½" Fabric H square on the top of (1) 2 ½" x 8 ½" Fabric F strip aligning the tops of the fabrics, right sides together (Fig. 1). Sew across the diagonal of the small square from the upper right corner to the lower left corner (Fig. 1). Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam. Flip open the triangle and press to make (1) Unit 1 strip (Fig. 2). Repeat to make a second Unit 1 strip.
- Unit 2 2. Repeat Step 1, refer to Figure 3 for fabric make 2 location and use (2) 2 1/2" Fabric G squares and (2) 2 ½" x 6 ½" Fabric E strips to make (2) Unit 2 strips.




Fig. 1 Fig. 2

G

Ε

Fig. 3

Unit 8 make 2

Unit 5

make 2


Fig. 6

Unit 9 make 2 Fig. 10

- 3. Repeat Step 1, refer to Figure 4 for fabric location and use (2) 2 ½" Fabric H squares and (2) 2 ½" x 6 ½" Fabric F strips to make (2) Unit 3 strips.
- 4. Repeat Step 1, refer to Figure 5 for fabric location and use (2) 2 ½" Fabric G squares and (2) 2 ½" x 4 ½" Fabric E strips to make (2) Unit 4 strips.

Unit 3 Unit 4 make 2 make 2

- 5. Sew (1) Fabric A-Template 1 diamond to the left side of (1) Fabric B-Template 2 diamond to make (1) Unit 5 component (Fig. 6). Repeat to make a second Unit 5 component.
- 6. Using a "Y" seam, sew (1) 2 ½" Fabric C square to the bottom of the Unit 5 component to make (1) Unit 6 component (Fig. 7). Repeat to make a second unit 6 component.
- 7. Sew (1) Fabric D triangle to each side of the Unit 6 component to make (1) Unit 7 block (Fig. 8). Repeat to make a second Unit 7 block.



- 8. Sew (1) Unit 4 strip to the bottom of the Unit 7 block to make (1) Unit 8 block (Fig. 9). Repeat to make a second Unit 8 block.
- 9. Sew (1) Unit 2 strip to the left side of the Unit 8 block. Sew (1) Unit 3 strip to the bottom of the sewn block to make (1) Unit 9 block (Fig. 10). Repeat to make a second Unit 9 block.
- 10. Sew (1) Unit 1 strip to the left side of (1) Unit 9 block to make (1) Block One square (Fig. 11). Repeat to make a second Block One square.




Fig. 11

Page 3

11. Repeat Steps 1-10 and refer to Figures 12-34 for fabric identification, placement and seam direction to make the designated number of blocks. There will be (59) blocks total.





Fig. 12

Block Three make 4

Fig. 13



Block Seven

Block Four

Fig. 14




Fig. 15




Fig. 16



Fig. 17



Fig. 18




Fig. 19




Fig. 20




Fig. 21





Fig. 22



Block Thirteen

Fig. 23





Fig. 24



Fig. 25



Block Seventeen




Fig. 27




Fig. 28




Fig. 29





Fig. 30



Fig. 31




Fig. 32

Block Twenty-Three






Fig. 33



Block Twenty-Four


Fig. 34

12. Sew (1) 7" Fabric F triangle to the left side of (1) 2 ½" x 7 ½" Fabric P strip, aligning the bottoms of the strips. Sew (1) 2 ½" x 9 ½" Fabric P strip to the bottom of the new block, aligning the right sides. Using a straight edge, trim the Fabric P strips even with the long side of the Fabric F triangle to make (1) Block Twenty-five triangle (Fig. 35). Repeat to make (10) Block Twenty-Five triangles total.



Page 4


13. Repeat Step 12 and refer to Figure 36 for fabric identification, placement and orientation to make (10) Block Twenty-Six triangles.



14. Sew (1) 3 ¾" Fabric F triangle to the bottom of (1) 2 ½" x 9 ½" Fabric O strip. Trim the Fabric O even with the Fabric F triangle as shown in Figure 37 to make (1) Block Twenty-Seven triangle. Repeat to make (4) Block Twenty-Seven triangles total.

Block Twenty-Seven make 4

15. Follow Figure 38 and sew the assorted blocks together into rows as shown to make the Center Block. *Note: Pay attention to the block orientations.*



Page 5

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)
16. Sew the (4) 1 ½" x WOF Fabric C strips together end to end with diagonal seams. Measure the length of the Center Block and cut (2) strips to that length. Sew the borders onto the Center Block.

- 17. Sew (3) 1 ½" x WOF Fabric C strips together end to end with diagonal seams. Measure the top and bottom of the Center Block (after the side borders were added) and cut (2) strips to that length. Sew the strips to the top and to the bottom of the Center Block.
- 18. Repeat Steps 16-17 and add the 3 ½" Fabric F borders and the 1 ½" Fabric O borders to the Center Block.
- 19. Measure the side of the Center Block. Trim (2) 5 ½" Fabric U strips to that length. Center Fabric U strip on (1) side of the Center Block and pin in place. Start sewing the strip a ¼" from the top edge of the block and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

- 20. Repeat Step 19 to sew (1) Fabric U strip to the top and to the bottom of the quilt top, making sure to stop and start 1/4" away from each end of the Center Block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 39).
- 21. Starting at the sewn seam (represented by the arrow in Figure 39), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners to make the quilt top.






Fig. 39

- 22. Layer and quilt as desired.
- 23. Sew the (9) 2 ½" x WOF Fabric O strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 24. Bind as desired.



Page 7



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.