

UPDATED ON FEBRUARY 26, 2019

Celebrate Summer

A Free Project Sheet
NOT FOR RESALE

By Dana Brooks



Tote

Skill Level: Advanced Beginner

 Henry Glass & Co., Inc.



facebook

Finished Tote Size: 12" x 14" x 4"
49 West 37th Street, New York, NY 10018
tel: 212-686-5194 fax: 212-532-3525
Toll Free: 800-294-9495
www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

CELEBRATE SUMMER Tote

Fabrics in the Collection



Panel - Multi
1550P-84



Summer Motifs - Blue
1551-11



Summer Motifs - Green
1551-66



Words - Multi
1552-1



Watermelon - Yellow
1553-44



Various Sized Dots
White/Multi - 1554-46



Various Sized Dots - Royal
1554-77



Various Sized Dots - Red
1554-88




Ladybugs - Blue
1555-11



Ladybugs - Green
1555-66



Fish - Blue
1556-11



Crabs on Zebra Skin - Blue
1557-11



Tonal Dot - Green
1558-66



Tonal Dot - Red
1558-88

Tote Materials

3/8 yard	Summer Motifs - Green (A)	1551-66
3/8 yard	Words - Multi (B)	1552-1
3/8 yard	Various Sized Dots - Royal (C)	1554-77
1/2 yard	Lady Bugs - Blue (D)	1555-11
1/4 yard	Tonal Dot - Red (E)	1558-88

You will also need:

- Fusible Fleece

Tote Cutting Instructions

Please note: all strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Summer Motifs - Green (A), cut:

- (1) 7 1/2" x WOF strip. Sub-cut (2) 7 1/2" x 16 1/2" strips.

From the Words - Multi (B), cut:

- (1) 3" x WOF strip. Sub-cut (2) 3" x 16 1/2" strips.
- (1) 5" x WOF strip. Sub-cut (2) 5" x 16 1/2" strips.

From the Various Sized Dots - Royal (C), cut:

- (2) 4" x WOF strips

From the Lady Bugs - Blue (D), cut:

- (1) 14 1/2" x WOF strips. Sub-cut (2) 14 1/2" x 16 1/2" strips.

From the Tonal Dot - Red (E), cut:

- (2) 1 1/2" x WOF strips. Sub-cut (4) 1 1/2" x 16 1/2" strips.

From the Fusible Fleece, cut:

- (2) 1" x WOF strips
- (2) 14 1/2" x 16 1/2" strips.

Straps Assembly

1. Fold (1) 4" x WOF Fabric C strip in half lengthwise and press (Fig. 1). Open the folded fabric and fold each long edge to the creased centerline and press (Fig. 2).
2. Fold the pressed fabric in half again and press to make (1) 1" x WOF strip (Fig. 3).
3. Slide (1) 1" x WOF strip of Fusible Fleece into the folded strap. Top stitch down both long sides 1/8" in from the edge (Fig. 4).
4. Repeat Steps 1-3 to make a second strap. Trim to the desired length.




Fig. 1




Fig. 2



Fig. 3




Fig. 4

Lining Assembly

- Place the (2) 14 1/2" x 16 1/2" strips Fabric D strips right sides together. Stitch down the two sides and across the bottom, leaving a 4" opening for turning.
- Measure in from the side edge 2" and up from the bottom edge 2" at each lining corners. Cut out the square of fabric (Fig. 5). Open the cut bottom and align the bottom edge with the side edge and sew the two edges together (Fig. 6). Repeat with the other bottom corner to make the box bottom.




Fig. 5




Fig. 6

Outer Bag Assembly

- Follow Figure 7 to sew together (2) 3" x 16 1/2" Fabric B strips, (2) 1 1/2" x 16 1/2" Fabric E strips and (1) 7 1/2" x 16 1/2" Fabric A strip to make the bag front. Repeat to make the bag back.




Fig. 7

- Press (1) 14 1/2" x 16 1/2" Fusible Fleece to the wrong side of the bag front and quilt as desired. Repeat with the second piece of fusible fleece and the bag back.
- Place the bag front and back, right sides together aligning the fabrics on each side. Sew down the sides and across the bottom of the bag (5" x 16 1/2" Fabric B strip is at the bottom) to make the outer bag.
- Repeat Step 6 with the outer bag bottom to complete. Turn the outer bag, right side out.

Bag Assembly

- Place the bag right sides together with the lining, aligning the top raw edges of the bag and lining, pin together. Sew the lining and bag together. Turn the bag and lining right side out through the opening in the lining. Press as needed and topstitch the open closed. Put the lining into the bag, aligning the sides and bottom.
- Position one handle on the bag front, approximately 2" from each side of the bag. Topstitch in place. Repeat with the second handle and the bag back.
- Press the sewn seams and topstitch around the bottom of the bag to add shape to the base of the bag

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.