



A Free Project Sheet NOT FOR RESALE

By Jan Shade Beach



facebook





Finished Quilt Size: 54" x 74" 49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525 Toll Free: 800-294-9495 www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Page 3

Materials

1 Interesting		
1 panel	24 Inch Farm Scenic Panel - Multi (A)	721P-86
³∕∗ yard	Snow - Green (B)	718-66
¹ / ₂ yard	Large Plaid - Multi (C)	717-86
1 yard	Small Plaid - Red (D)	716-86*
⁵⁄∗ yard	Horse Allover - Gray (E)	714-90
¹ ⁄ ₄ yard	Tossed Trucks, Sleds, and Wagons - Li	ght Blue (F)
	-	713-11
⅔ yard	Swirl - Green (G)	715-66
¹ / ₄ yard	Snow - Red (H)	718-88
³ / ₄ yard	Swirl - Gray (I)	715-90
³ ⁄ ₄ yard	Folio - White on White (J)	7755-01
$2\frac{1}{4}$ yards	Novelty Farm Scenic Stripe - Multi (K)	720-86
4 ³ ⁄ ₄ yards	Barn Scenic - Multi (Backing)	711-86

*Includes binding

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the 24 Inch Farm Scenic Panel - Multi (A):

• Fussy cut (1) 22 ¹/₂" x 42 ¹/₂" rectangle, centered on the panel.

From the Snow - Green (B), cut:

• (2) 2" x 42 ¹/₂" WOF strips, piece as needed.

• (2) 2" x 25 ½" WOF strips.

From the Large Plaid - Multi (C), cut:

- (1) 2 ⁷/₈" x WOF strip. Sub-cut (2) 2 ⁷/₈" squares.
- (2) 2" x 24 ¹/₂" WOF strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 44 ¹/₂" strips.

From the Small Plaid - Red (D), cut:

- (5) 1 ¹/₂" x WOF strips. Sew the strips together end to end with diagonal seams and cut (4) 1 ¹/₂" x 44 ¹/₂" strips.
 (4) 1 ¹/₂" x 24 ¹/₂" WOF strips.
- (7) 2 ¹/₂" x WOF strips for the binding.

From the Horse Allover - Gray (E), cut:

- (3) 3 ¹/₂" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 3 ¹/₂" x 44 ¹/₂" strips.
- (2) 3 ¹/₂" x 24 ¹/₂" WOF strips.

From the Tossed Trucks, Sleds, and Wagons - Light Blue (F), cut:

• (1) 4 ¹/₂" x WOF strip. Sub-cut (4) 4 ¹/₂" squares.

From the Swirl - Green (G), cut:

- (1) 3 ¹/₄" x WOF strip. Sub-cut (8) 3 ¹/₄" squares and (4) 2 ¹/₂" squares. Cut the 3 ¹/₄" squares across both diagonals to make (32) 3 ¹/₄" triangles.
- (6) 2 ¹/₂" x WOF strips. Sub-cut (50) 2 ¹/₂" x 4 ¹/₂" strips.

From the Snow - Red (H), cut:

• (1) 3 ¹/₄" x WOF strip. Sub-cut (8) 3 ¹/₄" squares. Cut the squares across both diagonals to make (32) 3 ¹/₄" triangles.

From the Swirl - Gray (I), cut:

- (1) 2 ⁷/₈" x WOF strip. Sub-cut (6) 2 ⁷/₈" squares.
- (2) 2" x 24 ¹/₂" WOF strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 44 ¹/₂" strips.
- (4) 1 ¹/₂" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¹/₂" x 64 ¹/₂" strips.
- (3) 1 ¹/₂" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¹/₂" x 46 ¹/₂" strips.

From the Folio - White on White (J), cut:

- (2) 2 ⁷/₈" x WOF strips. Sub-cut (24) 2 ⁷/₈" squares. Cut (16) of the squares across (1) diagonal to make (32) 2 ⁷/₈" triangles.
- (7) 2 ¹/₂" x WOF strips. Sub-cut (100) 2 ¹/₂" squares.

From the Novelty Farm Scenic Stripe - Multi (K), cut:

- (2) 4 ¹/₂" x 78" Length of Fabric (LOF) strips.
- (2) 4 ¹/₂" x 58" LOF strips.


From the Barn Scenic - Multi (Backing), cut:

• (2) 82" x WOF strips for the backing. Sew the strips together and trim to make the 62" x 82" back.

Block Assembly


Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a ¼" seam allowance with right sides together (RST) unless otherwise noted.

 Sew (1) 2" x 42 ¹/₂" Fabric B strip to each side of the 22 ¹/₂" x 42 ¹/₂" Fabric A rectangle. Sew (1) 2" x 25 ¹/₂" Fabric B strip to the top and to the bottom of the Fabric A rectangle to make the Center Block (Fig. 1). Trim the block to measure 24 ¹/₂" x 44 ¹/₂".




HOLIDAY SPIRIT (Quilt 1

2. Place (1) 2 ⁷/₈" Fabric I square on top of (1) 2 ⁷/₈" Fabric J square, right sides together. Draw a line across the diagonal of the top square (Fig. 2). Sew 1/4" away from each side of the drawn diagonal line (Fig. 2). Cut the (2) squares apart on the drawn diagonal line (Fig. 3) to make (2) half-square triangles. Trim the half-square triangles to measure $2\frac{1}{2}$ " square to make (2) Unit 1 squares (Fig. 4). Repeat to make (12) Unit 1 squares total.



3. Repeat Step 2 and refer to Figure 5 for fabric identification and placement to make (4) Unit 2 squares.



Unit 3

make 16

Fig. 6


Fig. 7

Unit 4 make 16


4. Sew (1) $3\frac{1}{4}$ " Fabric G triangle and (1) 3 ¹/₄" Fabric H triangle together along short sides. Sew (1) 2 7/8" Fabric J triangle to the long side of the newly sewn triangle to make (1) $2\frac{1}{2}$ " Unit 3 square (Fig. 6). Repeat to make (16) Unit 3 squares total.

5. Repeat Step 4 and refer to Figure 7 for fabric identification, placement and orientation to make (16) Unit 4 squares.

6. Sew (1) Unit 3 square to the left side of (1) Unit 4 square, along the Fabric H sides, to make (1) Unit 5 strip (Fig. 8). Repeat to make (16) Unit 5 strips total.




7. Sew (1) Unit 1 square to each end of (1) Unit 5 strip to make the top row. Sew (1)Unit 5 strip to each side of (1)4 ¹/₂" Fabric F square to make the middle row. Sew together (1) Unit 1 square, (1) Unit 5 strip and (1) Unit 2 square, in that order from left to right, to make the bottom row. Sew together the (3) rows lengthwise to make (1) 8 $\frac{1}{2}$ " Block One square (Fig. 9). Repeat to make (4) Block One squares total.




Page 4


8. Sew (1) $1 \frac{1}{2}$ " x 24 $\frac{1}{2}$ " Fabric D strip to the top and to the bottom of (1) 3 ¹/₂" x 24 ¹/₂" Fabric E strip lengthwise. Sew (1) 2" x 24 $\frac{1}{2}$ " Fabric I strip to the top of the newly sewn strip lengthwise and (1) 2" x 24 ¹/₂' Fabric C strip to the bottom of the newly sewn strip to make (1) 8 $\frac{1}{2}$ " x 24 $\frac{1}{2}$ " Block Two strip (Fig. 10). Repeat to make a second Block Two strip.



9. Sew (1) Block One square to each end of (1) Block Two strip to make the Inner Top Border (Fig. 11).




10. Sew (1) Block One square to each end of (1) Block Two strip to make the Inner Bottom Border (Fig. 12).



11. Sew (1) $1\frac{1}{2}$ " x 44 $\frac{1}{2}$ " Fabric D strip to each side of (1) $3\frac{1}{2}$ " x 44 $\frac{1}{2}$ " Fabric E strip lengthwise. Sew (1) 2" x 44 $\frac{1}{2}$ " Fabric I strip to the left side of the newly sewn strip lengthwise and (1) 2" x 44 $\frac{1}{2}$ " Fabric C strip to the right side of the newly sewn strip to make the 8 $\frac{1}{2}$ " x 44 $\frac{1}{2}$ " Inner Left Border (Fig. 13).

12. Repeat Step 11 and refer to Figure 14 for fabric identification, placement and orientation to make the Inner Right Side Border.




13. Place (1) 2 $\frac{1}{2}$ " Fabric J square on the left side of (1) 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Fabric G strip, right sides together (Fig. 15). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 15). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance (Fig. 16).




14. Place another 2 $\frac{1}{2}$ " Fabric J square on the right side of the 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Fabric G strip, right sides together (Fig. 17). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 17). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance to make (1) Unit 6 strip (Fig. 28).


15. Repeat Steps 13-14 to make (50) Unit 6 strips total.



16. Sew (15) Unit 6 strips together end to end to make the Outer Left Side Border (Fig. 19). Repeat to make the Outer Right Side Border (Fig. 20).



17. Sew (10) Unit 6 strips together end to end. Sew (1) $2\frac{1}{2}$ " Fabric G square to each end of the newly sewn strip to make the Outer Top Border (Fig. 21). Repeat to make the Outer Bottom Border (Fig. 22).



Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.) 18. Sew the Inner Left Side Border and Inner Right Side Border to the left and to the right sides of the Center Block.

19. Sew the Inner Top Border and the Inner Bottom Border to the top and to the bottom of the Center Block.

20. Sew the Outer Left Side Border and Outer Right Side Border to the left and to the right sides of the Center Block.

Page 6


21. Sew the Outer Top and Outer Bottom Borders to the top and to the bottom of the Center Block.

22. Sew (1) 1 $\frac{1}{2}$ " x 64 $\frac{1}{2}$ " Fabric I strip to each side of the Center Block. Sew (1) 1 $\frac{1}{2}$ " x 46 $\frac{1}{2}$ " Fabric I strip to the top and to the bottom of the Center Block.

23. Center (1) $4\frac{1}{2}$ " x 78" Fabric K strip on (1) side of the Center Block and pin in place. Start sewing the strip a $\frac{1}{4}$ " from the top edge of the block and stop a $\frac{1}{4}$ " from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

24. Repeat Step 23 to sew (1) $4\frac{1}{2}$ " x 58" Fabric K strip to the top and to the bottom of the Center Block, making sure to stop and start $\frac{1}{4}$ " away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 23).


25. Starting at the sewn seam (represented by the arrow in Figure 23), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a $\frac{1}{4}$ " seam. Repeat this step with the remaining corners to make the quilt top.



26. Layer and quilt as desired.

27. Sew the (7) $2\frac{1}{2}$ " x WOF Fabric D strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.

28. Bind as desired.



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check <u>www.henryglassfabrics.net</u> for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are **not for resale**.