



5 and Dime Chevron Quilt

Skill level: Beginner

Technique: Pieced

Quilt can be made using (2) 5" charm packs or (2) 10" charm packs based on quilt size preferred.



Finished Project Size:

5" Charms: 32" x 40" (0.81m x 1.02m) | **10" Charms:** 72" x 90" (1.83m x 2.29m)

JAFTE ✂
CORP.
EST. 1930

 **HENRY GLASS**

studio
FABRICS

BLANK
QUILTING



5 and Dime Chevron Quilt

Finished Square Size:

5" - 4" x 4"

10" - 9" x 9"

Additional Requirements:

- Sewing machine
- 5" - 40" x 48" (1.02m x 1.22m) quilt batting
- 10" - 80" x 98" (2.03m x 2.49m) quilt batting
- Rotary cutter, ruler, and mat
- Basic sewing and pressing supplies

Cutting Directions

Note: WOF = Width of Fabric

Binding, cut:

5": (4) 2½" x WOF

10": (9) 2½" x WOF

Sewing Instructions

Note: Use a ¼" seam allowance throughout. Sew all pieces with right sides together and raw edges even using matching thread.

Block Assembly

1. Cut all non-directional 5" or 10" precut squares in half diagonally. **Fig. 1**

Fig. 1



2. Cut all directional 5" or 10" precut squares, one in one direction and the other in the opposite direction. **Fig. 2**

Fig. 2



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.



5 and Dime Chevron Quilt

- Referring to color quilt image, select the two half-square triangles (HST) in the first unit in top row of quilt. Sew triangles together along their long edges. Press seam to darker print to complete 1 HST unit. Trim unit to

5": 4½" square unfinished

10": 9½" square unfinished

Fig. 3



- Continue to stitch together the remaining 79 HST units.

Quilt Top Assembly

- Noting Quilt Layout (page 4) arrange the HST units in 10 rows of 8. Sew into rows. Sew rows together.

Finishing

- Cut and piece the backing to measure
5": 40" x 48" (1.02m x 1.22m)
10": 80" x 98" (2.03m x 2.49m)
- Prepare binding
5": (4) 2½" x WOF strips
10": (9) 2½" x WOF strips
- Layer quilt top, batting, and backing. Quilt as desired. Carefully trim backing and batting even with quilt top.
- Leaving an 8" tail of binding, sew binding to top of quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" from where you started. Lay both loose ends of binding flat along quilt edge. Where these two loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to ¼" and press open. Finish sewing binding to quilt.
- Turn binding to back of quilt and blind stitch in place.

All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.


Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.



5 and Dime Chevron Quilt

Quilt Layout



All possible care has been taken to ensure the accuracy of this pattern. We are not responsible for printing errors or the manner in which individual work varies.

Please read the instructions carefully before starting this project. If kitting it is recommended a sample is made to confirm accuracy.

All free projects are intended to remain free and are not for resale.