

NIGHTS OF OLDE SALEM

Simply Shelly
design and illustration

A Free Project Sheet
NOT FOR RESALE

By Shelly Comiskey



Project Design by Heidi Pridemore



Table Set

Skill Level: Advanced Beginner



Henry Glass & Co., Inc.



facebook

Finished Runner Size: 44" x 20"

Finished Place Mat Size: 18" x 12"

49 West 37th Street, New York, NY 10018

tel: 212-686-5194 fax: 212-532-3525

Toll Free: 800-294-9495

www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

NIGHTS OF OLDE SALEM

Finished Quilt Size: 45 ½" x 63 ½"

Finished Quilt Size: 45 ½" x 63 ½"

Table Set

Fabrics in the Collection



Glow Six Blocks on 24 Inch Repeat
Multi – 798G-93



Glow Packed Pumpkins
Orange – 799G-33



Glow Haunted Houses
Orange – 800G-33



Glow Spiderweb
Black – 801G-99



Glow Tossed Cats
Orange – 802G-33



Glow Witch Silhouette
Black – 803G-99



Glow Bias Plaid
Multi – 804G-39




Glow Stripe
Multi – 805G-39



Glow Tossed Motifs
Black – 806G-99



Glow Tossed Ghosts
Orange – 807G-33



Glow Tossed Ghosts
Black – 807G-99



Glow Witch's Shoes
Orange – 808G-33



24 Inch Panel
Multi – 809PG-93



36 Inch Tote Bag Panel
Multi – 810PG-93

Select Fabrics from
Twinkle Basics



Gray
135-90



Black
135-99

Runner Materials

1 ⅛ yards	Glow Stripe - Multi (A)	805G-39
½ yard	Twinkle - Black (B)	135-99*
¼ yard	Glow Tossed Motifs - Black (C)	806G-99
½ yard	Twinkle - Gray (D)	135-90
⅛ yard	Glow Spiderweb - Black (E)	801G-99
⅛ yard	Glow Witch Silhouette - Black (F)	803G-99
⅛ yard	Glow Tossed Ghosts - Black (G)	807G-99
⅓ yard	Glow Bias Plaid - Multi (H)	804G-39
1 ½ yards	Glow Haunted Houses - Orange (Backing)	800G-33

*Includes binding

Runner Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Glow Stripe - Multi (A), cut:

- (1) 35" x 11" Length of Fabric (LOF) strip.

From the Twinkle - Black (B), cut:

- (1) 1 ¼" x WOF strip. Sub-cut (2) 1 ¼" x 11" strips.
- (2) 1 ¼" x 36 ½" WOF strips.
- (4) 2 ½" x WOF strips for the binding.

From the Glow Tossed Motifs - Black (C), cut:

- (1) 4 ⅞" x WOF strip. Sub-cut (2) 4 ⅞" squares.

From the Twinkle - Gray (D), cut:

- (1) 4 ⅞" x WOF strip. Sub-cut (2) 4 ⅞" squares.
- (3) 2 ½" x WOF strips. Sub-cut (48) 2 ½" squares.

From the Glow Spiderweb - Black (E), cut:

- (1) 2 ½" x WOF strip. Sub-cut (8) 2 ½" x 4 ½" strips.

From the Glow Witch Silhouette - Black (F), cut:

- (1) 2 ½" x WOF strip. Sub-cut (8) 2 ½" x 4 ½" strips.

From the Glow Tossed Ghosts - Black (G), cut:

- (1) 2 ½" x WOF strip. Sub-cut (8) 2 ½" x 4 ½" strips.

From the Glow Bias Plaid - Multi (H), cut:

- (3) 2 ½" x WOF strips. Sub-cut (24) 2 ½" x 4 ½" strips.

From the Glow Haunted Houses - Orange (Backing), cut:

- (1) 52" x 28" WOF strip for the backing.

Runner Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a ¼" seam allowance with right sides together (RST) unless otherwise noted.

1. Sew (1) 1 ¼" x 11" Fabric B strip to each side of the 35" x 11" Fabric A strip. Sew (1) 1 ¼" x 36 ½" Fabric B strip to the top and to the bottom of the Fabric A strip to make the 36 ½" x 12 ½" Runner Center Block (Fig. 1).




Fig. 1

2. Place (1) 4 ⅞" Fabric C square on top of (1) 4 ⅞" Fabric D square, right sides together. Draw a line across the diagonal of the top square (Fig. 2). Sew ¼" away from each side of the drawn diagonal line (Fig. 2). Cut the (2) squares apart on the drawn diagonal line (Fig. 3) to make (2) half-square triangles. Trim the half-square triangles to measure 4 ½" square to make (2) Unit 1 squares (Fig. 4). Repeat to make (4) Unit 1 squares total.




Fig. 2




Fig. 3




Fig. 4

3. Place (1) 2 ½" Fabric D square on the bottom half of (1) 2 ½" x 4 ½" Fabric E strip, right sides together (Fig. 5). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 5). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1) Unit 2 strip (Fig. 6). Repeat to make (3) Unit 2 strips total.




Fig. 5

Unit 2
make 3




Fig. 6


4. Repeat Step 3 and refer to Figures 7-9 for fabric identification, placement and seam direction to make (3) Unit 3 strips, (3) Unit 4 strips and (15) Unit 5 strips.




5. Place (1) 2 1/2" Fabric D square on the bottom half of (1) 2 1/2" x 4 1/2" Fabric E strip, right sides together (Fig. 10). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 10). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 6 strip (Fig. 11). Repeat to make (5) Unit 6 strips total.



6. Repeat Step 5 and refer to Figures 12-14 for fabric identification, placement and seam direction to make (5) Unit 7 strips, (5) Unit 8 strips and (9) Unit 9 strips.



7. Follow Figure 15 and sew together (6) assorted strips lengthwise to make the Runner Left Side Border.



8. Follow Figure 16 and sew together (6) assorted strips lengthwise to make the Runner Right Side Border.

9. Sew together lengthwise (18) assorted strips. Sew (1) Unit 1 square to each end of the newly sewn strip to make the Runner Top Border (Fig. 17 below).

10. Sew together lengthwise (18) assorted strips. Sew (1) Unit 1 square to each end of the newly sewn strip to make the Runner Bottom Border (Fig. 18 below).

Runner Top Border



Fig. 17

Runner Bottom Border



Fig. 18

Runner Assembly

(Follow the Runner Layout in Figure 19 while assembling.)

11. Sew the Runner Left Side Border and Runner Right Side Border to the left and to the right sides of the Runner Center Block.

12. Sew the Runner Top Border and the Runner Bottom Border to the top and to the bottom of the Runner Center Block to make the Runner top.

13. Layer and quilt as desired.

14. Sew the (4) 2 ½" x WOF Fabric B strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.

15. Bind as desired.




Fig. 19

Place Mat Materials (makes 6)

$\frac{2}{3}$ yard	Glow Six Blocks on 24 Inch Repeat - Multi (A)	798G-93
1 $\frac{1}{3}$ yards	Twinkle - Black (B)	135-99*
$\frac{1}{3}$ yard	Glow Bias Plaid - Multi (C)	804G-39
$\frac{1}{2}$ yard	Twinkle - Gray (D)	135-90
$\frac{1}{8}$ yard	Glow Spiderweb - Black (E)	801G-99
$\frac{1}{8}$ yard	Glow Witch Silhouette - Black (F)	803G-99
$\frac{1}{8}$ yard	Glow Tossed Ghosts - Black (G)	807G-99
2 yards	Glow Tossed Cats - Orange (Backings)	802G-33

*Includes binding

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Glow Six Blocks on 24 Inch Repeat - Multi (A):

- Fussy cut (6) 10" x 10 $\frac{1}{2}$ " rectangles, each centered on a block.

From the Twinkle - Black (B), cut:

- (3) 2 $\frac{1}{4}$ " x WOF strips. Sub-cut (12) 2 $\frac{1}{4}$ " x 10 $\frac{1}{2}$ " strips.
- (4) 2" x WOF strips. Sub-cut (12) 2" x 13 $\frac{1}{2}$ " strips.
- (11) 2 $\frac{1}{2}$ " x WOF strips for the binding.

From the Glow Bias Plaid - Multi (C), cut:

- (3) 2 $\frac{1}{2}$ " x WOF strips. Sub-cut (36) 2 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " strips.

From the Twinkle - Gray (D), cut:

- (5) 2 $\frac{1}{2}$ " x WOF strips. Sub-cut (72) 2 $\frac{1}{2}$ " squares.

From the Glow Spiderweb - Black (E), cut:

- (1) 2 $\frac{1}{2}$ " x WOF strip. Sub-cut (12) 2 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " strips.

From the Glow Witch Silhouette - Black (F), cut:

- (1) 2 $\frac{1}{2}$ " x WOF strip. Sub-cut (12) 2 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " strips.

From the Glow Tossed Ghosts - Black (G), cut:

- (1) 2 $\frac{1}{2}$ " x WOF strip. Sub-cut (12) 2 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " strips.

From the Glow Tossed Cats - Orange (Backs), cut:

- (3) 22" x WOF strips. Sub-cut (6) 22" x 16" strips for the backs.

Place Mat Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise noted.

16. Sew (1) 2 $\frac{1}{4}$ " x 10 $\frac{1}{2}$ " Fabric B strip to each side of (1) 10" x 10 $\frac{1}{2}$ " Fabric A rectangle. Sew (1) 2" x 13 $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A rectangle to make (1) Block One square (Fig. 20). **Trim the block to measure 12 $\frac{1}{2}$ " x 12 $\frac{1}{2}$ ".** Repeat to make (6) Block One squares total.




Fig. 20

17. Place (1) 2 $\frac{1}{2}$ " Fabric D square on the bottom half of (1) 2 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " Fabric C strip, right sides together (Fig. 21). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 21). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance to make (1) Unit 10 strip (Fig. 22). Repeat to make (36) Unit 10 strips total.




Fig. 21

Fig. 22

18. Place (1) 2 $\frac{1}{2}$ " Fabric D square on the bottom half of (1) 2 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " Fabric E strip, right sides together (Fig. 23). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 23). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance to make (1) Unit 11 strip (Fig. 24). Repeat to make (12) Unit 11 strips total.




Fig. 23

Fig. 24

19. Repeat Step 18 and refer to Figures 25-26 for fabric identification, placement and seam direction to make (12) Unit 12 strips and (12) Unit 13 strips.

Unit 12
make 12



Fig. 25

Unit 13
make 12



Fig. 26

20. Follow Figure 27 and sew together (6) assorted Unit strips lengthwise to make (1) Block Two strip. Repeat to make (6) Block Two strips total.

21. Follow Figure 28 and sew together (6) assorted Unit strips lengthwise to make (1) Block Three strip. Repeat to make (6) Block Three strips total.

Block Two
make 6




Fig. 27

Block Three
make 6




Fig. 28

Place Mat Assembly

(Follow the Place Mat Layout in Figure 29 while assembling.)

22. Sew together (1) Block Two strip, (1) Block One square and (1) Block Three strip, lengthwise and in that order from left to right, to make (1) Place Mat top (Fig. 29). Repeat to make (6) Place Mat tops total.

23. Layer and quilt as desired.

24. Sew the (11) 2 1/2" x WOF Fabric B strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press. Cut the strip into (6) equal pieces.

25. Bind as desired.

Place Mat Layout
make 6




Fig. 29