

# S is for Sew

Free Project Sheet  
NOT FOR RESALE

by Debbie Busby

Quilt designed by Denise Russell.



## Quilt 2

Quilt size: 59" x 71"  
Skill Level: Intermediate



Henry Glass & Co., Inc.



facebook

49 West 37th Street  
New York, NY 10018

Tel: 212-686-5194 - Fax: 212-532-3525

Toll Free: 800-294-9495

[www.henryglassfabrics.com](http://www.henryglassfabrics.com)

Please check our website for pattern updates  
before starting this project.




# S is for Sew - Fabrics in the Collection



2852P-99 S is for Sew Panel - Black




2851-33 Border Stripe - Cream



2844-19 Allover  
Novelty - Gray



2844-33 Allover  
Novelty - Cream




2845-44 Wavy Floral  
Yellow



2845-88 Wavy Floral  
Red




2845-99 Wavy Floral  
Black



2846-19 Tossed Spools  
Gray



2846-33 Tossed Spools  
Cream




2847-33 Pincushions  
Cream




2847-99 Pincushions  
Black




2848-33 Allover  
Scissors - Cream




2848-99 Allover  
Scissors - Black




2849-33 Button Jars  
Cream



2849-99 Button Jars  
Black



2850-33 Button Tape  
Cream



2850-99 Button Tape  
Black

Selected fabric from the  
Whimsy Basics Collection



8945-30  
Naples Yellow



8945-40  
Oyster



8945-68  
Forest



8945-90  
Dove Gray



8945-99  
Black

# S is for Sew - Quilt 2

Page 1

## Materials

*Yardages and cutting instructions are based on 42" of usable fabric width*

1/8 yard 8945-30 Whimsy Basics - Naples Yellow  
1/8 yard 8945-90 Whimsy Basics - Dove Gray  
1/8 yard 2845-99 Wavy Floral - Black  
1/4 yard 2850-99 Button Tape - Black  
1/4 yard 2844-19 Allover Novelty - Gray  
1/4 yard 2849-33 Button Jars - Cream  
1/4 yard 2848-99 Allover Scissors - Black  
1/4 yard 2850-33 Button Tape - Cream  
1/2 yard 8945-68 Whimsy Basics - Forest  
1/2 yard 2847-99 Pincushions - Black  
5/8 yard 2846-19 Tossed Spools - Gray  
3/4 yard 8945-99 Whimsy Basics - Black  
3/4 yard 2845-88 Wavy Floral - Red  
7/8 yard 2845-44 Wavy Floral - Yellow  
1 yard 2851-33 Border Stripe - Cream  
2 yards 8945-40 Whimsy Basics - Oyster  
4 yards 2848-33 Allover Scissors - Cream for backing  
Fusible web  
Paper for foundation piecing

## Cut Fabrics

*Notes:*

- a. All strips are cut across the width of the fabric (WOF) from selvage to selvage unless otherwise indicated.*  
*b. BL = block.*

### From 8945-30 Whimsy Basics - Naples Yellow (Fabric A):

\*Cut one stem and one center for the flower using templates. (BL12)

### From 8945-90 Whimsy Basics - Dove Gray (Fabric B):

\*Cut two leaves for flowers using templates. (BL12)

### From 2845-99 Wavy Floral - Black (Fabric C):

\*Cut one 1-1/2" x WOF strip. Sub-cut two 1-1/2" x 2-1/8" strips. (BL8)

### From 2850-99 Button Tape - Black (Fabric D):

\*Cut two 1-1/2" x WOF strips. Sub-cut three 1-1/2" x 20-1/2" strips. (Sashing)

### From 2844-19 Allover Novelty - Gray (Fabric E):

\*Cut two 2-1/2" x WOF strips. (BL3)

\*Cut four shapes A, one shape B, and one shape C using templates.

### From each:

**2849-33 Button Jars - Cream [Fabric F] (BL2)**

**2848-99 Allover Scissors - Black [Fabric G] (BL3)**

**2850-33 Button Tape - Cream [Fabric H] (BL2)**

\*Cut two 2-1/2" x WOF strips.

### From 8945-68 Whimsy Basics - Forest (Fabric I):

\*Cut one 1-1/2" x WOF strip. Sub-cut three 1-1/2" x 10-1/2" strips. (BL11)

\*Cut one 2-1/2" x WOF strip. Sub-cut six 2-1/2" squares and twelve 1-1/2" squares. (BL11)

\*Cut six 1-1/2" x WOF strips for border 3.

### From 2847-99 Pincushions - Black (Fabric J):

\*Cut two 1-1/2" x WOF strips. Sub-cut fourteen 1-1/2" x 2-1/4" strips and seven 1-1/2" x 5-1/8" strips. (BL1)

\*Cut one 1-5/8" x WOF strip. Sub-cut:

- Fourteen 1-5/8" squares; cut once diagonally (W). (BL1)

- Two 1-1/2" x 2-1/8" strips (BL5).

\*Cut two 2-1/2" x WOF strips. (BL2)

\*Cut one 3-1/2" x WOF strip. Sub-cut three 3-1/2" squares (BL9) and two 1-1/2" x 2-1/2" strips (BL10).

### From 2846-19 Tossed Spools - Gray (Fabric K):

\*Cut two 2-1/4" x WOF strips. Sub-cut sixteen 2-1/4" x 3-1/2" rectangles (BL5-8).

\*Cut two 2-1/2" x WOF strips. (BL2)

\*Cut one 3" x WOF strip. Sub-cut seven 3" squares. (BL14-15)

\*Cut one 3-3/8" x WOF strip. Sub-cut seven 3-3/8". (BL14-15)

### From 8945-99 Whimsy Basics - Black (Fabric L):

\*Cut seven 2-1/2" x WOF strips for binding.

\*Cut one shape D, one E, and one F using templates.

### From 2845-88 Wavy Floral - Red (Fabric M):

\*Cut one 2" x WOF strip. Sub-cut ten 2" x 3-3/4" strips. (BL4 - sections C2, C3)



\*Cut three 2-1/2" x WOF strips. Save two strips for strip sets (BL3) and sub-cut one strip into ten 2-1/2" x 3" rectangles (BL4).

\*Cut one 4" x WOF strip. Sub-cut five 2" x 4" strips and five 1" x 3-1/2" strips. (BL4)

\*Cut one 4-1/2" x WOF strip. Sub-cut one 4-1/2" x 17-1/8" rectangle. (BL12)

\*Cut one 5-3/4" x WOF strip. Sub-cut ten 3-1/4" x 5-3/4" rectangles (BL4 – sections A2, B1) and two 1-1/2" x 2-1/8" strips (BL7).

\*Cut one flower head with the template. (BL12)

## From 2845-44 Wavy Floral – Yellow (Fabric N):

\*Cut two 1-1/2" x WOF strips. Sub-cut:

- Five 1-1/2" x 7-1/2" strips. (BL4)

- Six 1-1/2" x 3-1/2" strips. (BL11)

- Six 1-1/2" x 2-1/2" strips. (BL11)

\*Cut three 2-1/2" x WOF strips. Save two strips for strip sets (BL3). Sub-cut one strip into three 2-1/2" x 4-1/2" rectangles. (BL11)

\*Cut one 2-5/8" x WOF strip. Sub-cut five 2-5/8" squares and five 2-1/4" squares. (BL13)

\*Cut one 3" x WOF strip. Sub-cut (BL4):

- Five 3" x 4" rectangles (section C1).

- Ten 1-7/8" squares.

\*Cut one 5-1/2" x WOF strip. Sub-cut three 5-1/2" x 10-1/2" rectangles. (BL11)

\*Cut one 5-3/4" x WOF strip. Sub-cut ten 3-1/4" x 5-3/4" rectangles (BL4 – sections A1, B2) and two 1-1/2" x 2-1/8" strips (BL6).

## From 2851-33 Border Stripe – Cream (Fabric O):

\*Cut seven 4-1/2" x WOF strips for border 4.

## From 8945-40 Whimsy Basics – Oyster (Fabric P):

\*Cut three 1-1/2" x WOF strips. Sub-cut:

- Sixteen 1-1/2" x 2-1/8" strips. (BL5-8)

- Six 1-1/2" x 10-1/2" strips. (BL11)

\*Cut one 1-3/4" x WOF strip. Sub-cut four 1-3/4" x 10-1/2" strips (sashing).

\*Cut two 1-5/8" x WOF strips. Sub-cut thirty-two 1-5/8" squares. (BL5-8)

\*Cut two 2-1/2" x WOF strips. Sub-cut twelve 2-1/2" squares (BL11) and one 2-1/2" x 20-1/2" strip (Sashing).

\*Cut one 2-5/8" x WOF strip. Sub-cut five 2-5/8"

squares and five 2-1/4" squares. (BL13)

\*Cut one 4-1/2" x WOF strip. Sub-cut:

- Six 1" x 4-1/2" strips. (BL9)

- Six 1" x 3-1/2" strips. (BL9)

- Four 2" x 4-1/2" strips. (BL10)

- Two 2-1/8" x 4-1/2" strips. (BL12)

- Four 1-1/2" squares. (BL10)

\*Cut two 5-1/2" x WOF strips. Sub-cut:

- Fourteen 1" x 5-1/2" strips. (BL1)

- Fourteen 1" x 4-1/2" strips. (BL1)

- Twelve 1-7/8" squares. (BL9)

- Sixteen 1-1/2" x 5-1/2". (BL5-8)

\*Cut one 12-1/2" x WOF strip. Sub-cut:

- One 12-1/2" x 20-1/2" rectangle (BL12).

- Seven 3" squares. (BL14-15)

- Seven 3-3/8" squares. (BL14-15)

- Seven 3-3/4" squares; cut twice diagonally. (X) (BL1)

\*Cut three 2-1/4" x WOF strips for border 1 – top and bottom strips.

\*Cut three 3" x WOF strips for border 1 – side strips.

## Assemble Blocks

*Note: Measurements include 1/4" seam allowances. Sew with right sides together unless otherwise stated. If no direction is specified, press the seam toward the darker fabric.*

1. Sew a Fabric P triangle X to opposite sides of a 1-1/2" x 2-1/4" Fabric J strip. Press open. Repeat to make another unit. Sew one unit to the top and one to the bottom of a 1-1/2" x 5-1/8" Fabric J strip. Press the seams toward the center. Sew a Fabric J triangle W to each corner and press open. Repeat to make seven 4-1/2" units. Sew a 1" x 4-1/2" Fabric P strip to opposite sides of each unit and press away from the center. Sew a 1" x 5-1/2" Fabric P to the top and one to the bottom of each unit (*figure 1*). Press. Make seven 5-1/2" blocks.



Figure 1 – Make (7) 5-1/2" blocks.

2. Sew a 2-1/2" Fabric F strip to a 2-1/2" Fabric J strip. Do not press open. Repeat to make another strip. Cross-cut strips into twenty-five 2-1/2" sections. Press

# S is for Sew - Quilt 2

the sections open. Repeat with the 2-1/2" Fabric H and 2-1/2" Fabric K strips to get twenty-five more sections. Sew the sections together two-by-two to make twenty-five 4-1/2" units (*figure 2*). Press the seams open.




Figure 2 – Make (25) 4-1/2" units.

3. Repeat Step 2 with the 2-1/2" strips of Fabrics M, E, N, and G to make twenty-five 4-1/2" units (*figure 3*).



Figure 3 – Make (25) 4-1/2" units.

4. Draw a diagonal line on the wrong side of the 1-7/8" Fabric N squares. With right sides together, place one marked Fabric N square on the top left corner of one 2-1/2" x 3" Fabric M rectangle and stitch on the drawn line. Trim the seam allowance to 1/4" and press open. Repeat with four more 2-1/2" x 3" Fabric M rectangles. Then, sew the 1-7/8" Fabric N squares to the top right corner of the remaining Fabric M rectangles to make five 2-1/2" x 3" units of each type (*figure 4*).




Figure 4 – Make 5 of each.

5. Trace or print five templates A, B, and C. Paper piece each section referring to Table 1 for fabric placement. Note that you will place the fabrics on the backside of the templates and will stitch the seams on their printed side. Press open, trim, and remove the paper (*figure 5*).

Template A	
Section A1	– 3-1/4" x 5-3/4" Fabric N
Section A2	– 3-1/4" x 5-3/4" Fabric M
Template B	
Section B1	– 3-1/4" x 5-3/4" Fabric M
Section B2	– 3-1/4" x 5-3/4" Fabric N
Template C	
Section C1	– 3" x 4" Fabric N
Sections C2, C3	– 2" x 3-3/4" Fabric M

Table 1




Figure 5

6. Sew a 1" x 3-1/2" Fabric M strip to the bottom of each C unit. Noting fabric orientation, sew the Step 4 units to opposite sides of the C units to make five top strips (*figure 6*). Press the seams away from the center.



Figure 6 – Make 5.

7. Noting fabric orientation, sew a 2" x 4" Fabric M strip between the Step 5 units A and B (*figure 7*). Press the seams toward the strips.



Figure 7 – Make 5.

8. Sew the Step 6 strips atop the Step 7 strips and press the seams in one direction. Sew a 1-1/2" x 7-1/2" Fabric N strip to the top of each unit to make five 7-1/2" heart blocks (*figure 8*). Press the seams away from the center.




Figure 8 – Make (5) 7-1/2" blocks.

# S is for Sew - Quilt 2

Page 4

9. Draw a diagonal line on the wrong side of the 1-5/8" Fabric P squares. With right sides together, place one marked Fabric P square on the top left corner of one 2-1/4" x 3-1/2" Fabric K rectangle and stitch on the drawn line. Trim the seam allowance to 1/4" and press open. Repeat with the adjacent corner. Repeat to make sixteen units (*figure 9*).



Figure 9 – Make 16.

10. Sew a 1-1/2" x 2-1/8" Fabric J strip between two 1-1/2" x 2-1/8" Fabric P strips. Press the seams toward the center. Repeat to make two units. Similarly, make two units each with the 1-1/2" x 2-1/8" Fabrics N, M, and C. Noting fabric orientation, sew a Step 9 unit to the top and one to the bottom of each Step 10 unit. Press the seams toward the center. Sew a 1-1/2" x 5-1/2" Fabric P strip to opposite sides of all the units to make eight 5-1/2" blocks (*figure 10*).




Figure 10 – Make 2 of each type (BL 5-8).

11. Draw a diagonal line on the wrong side of the 1-7/8" Fabric P squares. With right sides together, place one marked Fabric P square on a corner of one 3-1/2" Fabric J square and stitch on the drawn line. Repeat with the other corners of the square. Trim seam allowances to 1/4" and press open. Make three units. Sew a 1" x 3-1/2" Fabric P strip to opposite sides of each unit. Press seams away from the center. Sew a 1" x 4-1/2" Fabric P strip to the top and one to the bottom of each unit to make three 4-1/2" blocks (*figure 11*). Press as before.




Figure 11 – Make (3) 4-1/2" blocks.

12. Sew a 1-1/2" Fabric P square to opposite sides of a 1-1/2" x 2-1/2" Fabric J strip. Press the seams away from the center. Repeat to make two center units. Sew a 2" x 4-1/2" Fabric P strip to the top and one to the bottom of the center units to make two 4-1/2" blocks (*figure 12*). Press the seams away from the center.




Figure 12 – Make (3) 4-1/2" blocks.

13. Draw a diagonal line on the wrong side of the 2-1/2" Fabric I squares. With right sides together, layer a marked Fabric I square on the left short end of a 2-1/2" x 4-1/2" Fabric N rectangle and stitch on the drawn line. Trim 1/4" away from the seam line and press open. Similarly, stitch another Fabric I square to the opposite end of the same rectangle (*figure 13*). Repeat to make three 2-1/2" x 4-1/2" flying-geese units.



Figure 13 – Make (3) 2-1/2" x 4-1/2" units.

14. Sew a 1-1/2" Fabric I square to a 1-1/2" x 2-1/2" Fabric N strip. Repeat to make six units and press the seams toward the square. Draw a diagonal line on the back of the remaining 1-1/2" Fabric I squares. Sew them to the 1-1/2" x 3-1/2" Fabric N strips, trim seam allowances to 1/4", and press open. Noting fabric orientation, sew together one unit of each type as shown below. Press the seams open. Sew the units to opposite sides of the Step 13 units to make three strips (*figure 14*). Press the seams in one direction.




Figure 14 – Make 3.



# S is for Sew - Quilt 2

Page 5

15. Sew a 1-1/2" x 10-1/2" Fabric I strip to the top of each Step 14 unit and press the seams toward the strip. Sew a 5-1/2" x 10-1/2" Fabric N rectangle to the bottom of each unit and press the seams toward the last addition (*figure 15*).




Figure 15

16. Sew a 2-1/2" Fabric P square to each corner of the Step 15 units, trim the seam allowances to 1/4", and press open. Finally, sew a 1-1/2" x 10-1/2" Fabric P strip to the top and one to the bottom of each unit and press the seams away from the center (*figure 16*). Make three 10-1/2" blocks.




Figure 16 – Make (3) 10-1/2" blocks.

17. Place shapes A, B, C, D, E, and F onto a lightbox or windowpane. Layer the fusible web onto them and trace them: A four times, all others once. Cut shapes 1/8" outside the outline and fuse to the wrong side of the fabrics: A, B, and C are fused to Fabric E; D, E, and F are fused to Fabric L.

Repeat with the flower head (fuse to Fabric M), the stem and center square (fuse to Fabric A), and leaves (fuse to fabric B).

Cut on the outline and remove the paper backing.

18. Fold and crease the 12-1/2" x 20-1/2" Fabric P rectangle in half twice. Position appliqué shapes on this rectangle using the creased folds as guidelines and referring to the quilt photo for placement. Fuse them according to the manufacturer's instructions (*figure*

17). Machine appliqué using matching thread and the blanket stitch.




Figure 17

19. Sew a 2-1/8" x 4-1/2" Fabric P strip to opposite sides of the 4-1/2" x 17-1/8" Fabric M rectangle. Press the seams in one direction. Sew this strip to the bottom of the Step 18 unit to make the 16-1/2" x 20-1/2" sewing machine block (*figure 18*). Press the seam in one direction.




Figure 18

20. Draw a diagonal line on the wrong side of the 2-5/8" Fabric P squares. With right sides together, layer the marked Fabric P squares atop the 2-5/8" Fabric N squares. Stitch 1/4" on each side of the marked line, cut on the drawn line, press each unit open with seams toward dark fabric, and trim dog ears. Make a total of ten 2-1/4" half-square triangles (HST). Using the five 2-1/4" Fabric N squares and the five 2-1/4" Fabric P squares, assemble five units as shown below (*figure 19*). Press the seams in one direction.



Figure 19 – Make (5).

# S is for Sew - Quilt 2


Page 6

21. Repeat Step 20 with the 3-3/8" Fabric P squares and the 3-3/8" Fabric K squares to make fourteen 3" HST (*figure 20*).




Figure 20 – Make (14) 3" units.

22. Using the Step 21 HST, the seven 3" Fabric P squares and the seven 3" Fabric K squares, assemble seven 5-1/2" blocks as shown below (*figure 21*). Press the seams in one direction.



Make 4



Make 3

Figure 21 – Make (7) 5-1/2" blocks.

## Assemble Quilt Top

23. Following the quilt photo and diagram, lay out the sewing machine block, the spools, the snowball and dash blocks, as well as three 1-1/2" x 20-1/2" Fabric D strips and the 2-1/2" Fabric P strip. Sew the blocks together, then sew block rows with the sashing strips. Press the seams in one direction.

24. Sew the Step 22 blocks together to form the ric-rac strip and sew this strip to the right side of the quilt center.

25. Sew the Step 16 pumpkin blocks and the four 1-3/4" x 10-1/2" Fabric P strips and press the seams toward the sashing. Noting fabric orientation, sew this strip to the right side of the quilt center.

26. Sew the Step 1 blocks together and press the seams in one direction. Add this block row to the bottom of the quilt center.

27. Sew the Step 20 units together and press the seams in one direction. Add this block row to the bottom of the quilt center.

28. Sew the five Step 8 heart blocks together and press the seams in one direction. Add this block row to the bottom of the quilt center.

29. For border 1, join the four 3" Fabric P strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut two border strips that length. Sew one strip to each side of the quilt top and press the seams toward the border strips. Sew the 2-1/4" Fabric P strips in the same manner. Measure the width of the quilt top through the center. Cut two border strips that length and sew one to the top and one to the bottom. Press the seams toward the borders. The quilt measures 40-1/2" x 52-1/2" up to here.

30. For border 2 and referring to the quilt photo for block placement, arrange thirteen assorted Steps 2 and 3 blocks for each side of the quilt. Sew blocks together and sew one border strip to each side of the quilt center. Press the seam toward quilt center.

31. Repeat Step 30 with the remaining blocks and sew one border strip to the top and one to the bottom of the quilt center.

32. For border 3, sew the six 1-1/2" Fabric I strips together end to end using diagonal seams. Measure the vertical length of the quilt top through the center and cut two border strips that length. Sew one strip to each side of the quilt top. Measure the width of the quilt top through the center. Cut two border strips that length and sew one to the top and one to the bottom. Press the seams toward the borders.

33. Repeat Step 32 with the seven 4-1/2" Fabric O strips to make and add border 4.

## Finishing

34. Create a quilt sandwich with the batting between the quilt top and the backing. Pin or baste layers together, mark quilting design, and quilt by hand or machine. When quilting is complete, remove pins or basting, and trim batting and backing even with raw edges of the quilt top.




# S is for Sew - Quilt 2

Page 7

35. Join the seven 2-1/2" Fabric L binding strips together end to end using a diagonal seam to make one long strip. Fold in half lengthwise and press. Sew binding to the edges of the quilt, mitering corners, and overlapping ends. Fold binding to the back of the quilt and stitch it in place by hand to finish.

---



©2021 Henry Glass & Co. Inc.

*Every effort has been made to ensure that all projects are error free. All the information is presented in good faith; however, no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check [www.henryglassfabrics.com](http://www.henryglassfabrics.com) for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.*






BL = Block.


Quilt Diagram




# S is for Sew - Quilt 2

Templates already reversed.









# S is for Sew - Quilt 2

Page 12

