
START YOUR ENGINES

A Free Project Sheet NOT FOR RESALE

By Robert Giordano of Giordano Studios LLC



Quilt Design by Heidi Pridemore

Quilt 1

Skill Level: Beginner





facebook

Finished Quilt Size: 59" x 70" 49 West 37th Street, New York, NY 10018

tel: 212-686-5194 fax: 212-532-3525

Toll Free: 800-294-9495 www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

Finished Quilt Size: 59" x 70"

START YOUR ENGINES Quilt 1

Fabrics in the Collection



Race Track Banner Panel - Black 1745P-99



Dashboard - Black 1750-99



Words - Dark Gray 1754-90




Allover - Gray 1746-9



Race Car - Black 1747-99




Border Stripe - Black 1748-99



Checker - Black 1751-99



Tire Rims - Cobalt 1752-77




Patch Allover - Black

Flag - Red 1753-88

Select Fabrics from Modern Melody Basics



Silver Gray 1063-90



Black 1063-99

START YOUR ENGINES

Quilt 1

Page 1

Materials

Race Track Banner Panel - Black (A)	1745P-99
Checker - Black (B)	1751-99*
Modern Melody Basics - Black (C)	1063-99
Modern Melody Basics - Silver Gray (D)	1063-90
Flag - Red (E)	1753-88
Border Stripe - Black (F)	1748-99
Patch Allover - Black (G)	1749-99
Allover - Gray (H)	1746-9
Tire Rims - Cobalt (I)	1752-77
Dashboard - Black (J)	1750-99
Words - Dark Gray (K)	1754-90
Race Car - Black (Backing)	1747-99
	Checker - Black (B) Modern Melody Basics - Black (C) Modern Melody Basics - Silver Gray (D) Flag - Red (E) Border Stripe - Black (F) Patch Allover - Black (G) Allover - Gray (H) Tire Rims - Cobalt (I) Dashboard - Black (J) Words - Dark Gray (K)

^{*}Includes binding

Cutting Instructions

Please note: all strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Race Track Banner Panel - Black (A):

• Fussy cut (1) 33 ½" x 41 ½" panel.

From the Checker - Black (B), cut:

• (7) 2 ½" x WOF strips for the binding.

From the Modern Melody Basics - Black (C), cut:

- (2) 3 ½" x 37 ½" WOF strips.
- (2) 2 ½" x 41 ½" WOF strips.

From the Modern Melody Basics - Silver Gray (D), cut:

- (6) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (4) 1 ½" x 59 ½" strips.
- (5) 1 ½" x WOF strips. Sub-cut (14) 1 ½" x 12 ½" strips.

From the Flag - Red (E), cut:

• (3) 4 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 4 ½" x 59 ½" strips.

From the Border Stripe - Black (F), cut:

• (2) 7" x 59 ½" Length of Fabric (LOF) strips.

From the Patch Allover - Black (G), cut:

• (2) 5 ½" x WOF strips. Sub-cut (4) 5 ½" x 12 ½" strips.

From the Allover - Gray (H), cut:

• (2) 7 ½" x WOF strips. Sub-cut (4) 7 ½" x 12 ½" strips.

From the Tire Rims - Cobalt (I), cut:

• (2) 4 ½" x WOF strips. Sub-cut (4) 4 ½" x 12 ½" strips.

From the Dashboard - Black (J), cut:

• (1) 3 ½" x WOF strip. Sub-cut (2) 3 ½" x 12 ½" strips.

From the Words - Dark Gray (K), cut:

• (1) 3 ½" x WOF strip. Sub-cut (2) 3 ½" x 12 ½" strips.


From the Race Car - Black (Backing), cut:

• (2) 78" x WOF strips for the backing. Sew the strips together and trim to make the 67" x 78" back.

Block Assembly

Note: The arrows in figures represent fabric print direction. Pay attention to the fabric direction and orientation of the units when assembling the blocks.

1. Sew (1) 2 ½" x 41 ½" Fabric C strip to each side of the 33 ½" x 41 ½" Fabric A panel. Sew (1) 3 ½" x 37 ½" Fabric C strip to the top and to the bottom of the Fabric A panel. Trim the block to measure 35 ½" x 45 ½" to make the Center Block (Fig. 1).



2. Follow Figure 2 and sew together (2) 5 ½" x 12 ½" Fabric G strips,

- (7) 1 ½" x 12 ½" Fabric D strips,
- (2) 7 ½" x 12 ½" Fabric H strips,
- (2) 4 ½" x 12 ½" Fabric I strips, (1) 3 ½" x 12 ½" Fabric J strip and
- (1) 3 ½" x 12 ½" Fabric K strip to make
- (1) Block One strip. Repeat to make a second Block One strip.




Fig. 2

START YOUR ENGINES Quilt 1


Page 2

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

- 3. Sew (1) Block One strip to each side of the Center Block.
- 4. Sew (1) 1 ½" x 59 ½" Fabric D strip to the top and to the bottom of (1) 7" x 59 ½" Fabric F strip lengthwise. Sew (1) 4 ½" x 59 ½" Fabric E strip to the top of the new sewn strip lengthwise to make the Top Border.
- 5. Sew (1) 1 ½" x 59 ½" Fabric D strip to the top and to the bottom of (1) 7" x 59 ½" Fabric F strip lengthwise. Sew (1) 4 ½" x 59 ½" Fabric E strip to the bottom of the new sewn strip lengthwise to make the Bottom Border.

- 6. Sew the Top and Bottom Borders to the Center Block to make the quilt top.
- 7. Layer and quilt as desired.
- 8. Sew the (7) $2\frac{1}{2}$ " x WOF Fabric B strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 9. Bind as desired.



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.