

A Free Project Sheet
NOT FOR RESALE



By Andrea Tachiera



facebook.





Finished Quilt Size: 58" x 78" 49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525 Toll Free: 800-294-9495 www.henryglassfabrics.net Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Small Rodeo Blocks Multi – 9147-33



Tossed Riding Broncos Blue – 9151-11



Monotone Western Motifs Blue – 9154-77



Monotone Texture Brown – 9155-33

Select Fabric from Folio Basics



Tossed Cowboy Hats Beige – 9148-44



Tossed Riding Broncos Brown – 9151-33



Monotone Western Motifs Red – 9154-88



Monotone Texture Beige – 9155-44



Spruce 7755-74



Flying Eagles Light Blue – 9149-11




Rodeo Novelty Stripe Multi – 9152-38



Bandana Allover Paisley Red – 9150-88



Tossed Cowboy Boots Brown – 9153-33



Western Panel Multi – 9156P-33

Page 1

Materials

materials		
1 panel	Western Panel - Multi (A)	9156P-33
³∕∗ yard	Tossed Riding Broncos - Blue (B)	9151-11
1 ³ / ₈ yards	Monotone Texture - Brown (C)	9155-33*
² / ₃ yard	Monotone Western Motifs - Red (D)	9154-88
¹ / ₂ yard	Tossed Cowboy Hats - Beige (E)	9148-44
¹ / ₄ yard	Small Rodeo Blocks - Multi (F)	9147-33
¹ / ₄ yard	Folio - Spruce (G)	7755-74
¹ / ₄ yard	Bandana Allover Paisley - Red (H)	9150-88
³ / ₄ yard	Monotone Texture - Beige (I)	9155-44
5/8 yard	Flying Eagles - Light Blue (J)	9149-11
$2\frac{1}{3}$ yards	Rodeo Novelty Stripe - Multi (K)	9152-38
5 yards	Small Rodeo Blocks - Multi (Backing)	9147-33

*Includes binding

Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Western Panel - Multi (A):

• Fussy cut (1) 22 ¹/₂" x 41 ¹/₂" rectangle, centered on the panel.

From the Tossed Riding Broncos - Blue (B), cut:

• (2) 2" x 41 ¹/₂" WOF strips.

• (2) 2 ¹/₂" x 25 ¹/₂" WOF strips.

From the Monotone Texture - Brown (C), cut:

- (1) 2 ⁷/₈" x WOF strip. Sub-cut (8) 2 ⁷/₈" squares.
- (5) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (4) 2" x 44 ½" strips.
- (4) 2" x 24 ½" WOF strips.
- (4) 1 ¹/₂" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¹/₂" x 64 ¹/₂" strips.
- (3) 1 ¹/₂" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ¹/₂" x 46 ¹/₂" strips.
- (7) $2\frac{1}{2}$ " x WOF strips for the binding.

From the Monotone Western Motifs - Red (D), cut:

(5) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (4) 2" x 44 ¹/₂" strips.
(4) 2" x 24 ¹/₂" WOF strips.

From the Tossed Cowboy Hats - Beige (E), cut:

(3) 2 ¹/₂" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2 ¹/₂" x 44 ¹/₂" strips.
(2) 2 ¹/₂" x 24 ¹/₂" WOF strips.

From the Small Rodeo Blocks - Multi (F), cut:

• (1) 4 ¹/₂" x WOF strip. Sub-cut (4) 4 ¹/₂" squares.

From the Folio - Spruce (G), cut:

• (1) 3 ¹/₄" x WOF strip. Sub-cut (8) 3 ¹/₄" squares. Cut the squares across both diagonals to make (32) 3 ¹/₄" triangles.

From the Bandana Allover Paisley - Red (H), cut:

• (1) 3 ¹/₄" x WOF strip. Sub-cut (8) 3 ¹/₄" squares. Cut the squares across both diagonals to make (32) 3 ¹/₄" triangles.

From the Monotone Texture - Beige (I), cut:

- (2) 2 ⁷/₈" x WOF strips. Sub-cut (24) 2 ⁷/₈" squares. Cut (16) of the squares across (1) diagonal to make (32) 2 ⁷/₈" triangles.
- (7) 2 ¹/₂" x WOF strips. Sub-cut (100) 2 ¹/₂" squares.

From the Flying Eagles - Light Blue (J), cut:

- (6) 2 ¹/₂" x WOF strips. Sub-cut (50) 2 ¹/₂" x 4 ¹/₂" strips.
- (1) 2 ¹/₂" x WOF strip. Sub-cut (4) 2 ¹/₂" squares.

From the Rodeo Novelty Stripe - Multi (K), cut:

• (2) 6 ¹/₂" x 82" Length of Fabric (LOF) strips.

• (2) 6 ¹/₂" x 62" LOF strips.

From the Small Rodeo Blocks - Multi (Backing), cut:

• (2) 86" x WOF strips for the backing. Sew the strips together and trim to make the 66" x 86" back.

Block Assembly

Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components. Use a ¼" seam allowance with right sides together (RST) unless otherwise noted.

1. Sew (1) 2" x 41 $\frac{1}{2}$ " Fabric B strip to each side of the 22 $\frac{1}{2}$ " x 41 $\frac{1}{2}$ " Fabric A panel. Sew (1) 2 $\frac{1}{2}$ " x 25 $\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A panel to make the Center Block (Fig. 1). **Trim the block to measure 24** $\frac{1}{2}$ " x 44 $\frac{1}{2}$ ".

2. Place (1) 2 7/8" Fabric I square on top of (1) 2 7/8" Fabric C square, right sides together. Draw a line across the diagonal of the top square (Fig. 2). Sew 1/4" away from each side of the drawn diagonal line (Fig. 2). Cut the (2) squares apart on






Fig. 1 B

the drawn diagonal line (Fig. 3) to make (2) half-square triangles. Trim the half-square triangles to measure $2\frac{1}{2}$ " square to make (2) Unit 1 squares (Fig. 4). Repeat to make (16) Unit 1 squares total.




3. Sew (1) 3 ¹/₄" Fabric G triangle and (1) 3 ¹/₄" Fabric H triangle together along a side. Sew (1) 2 ⁷/₈" Fabric I triangle to the long side of the newly sewn triangle to make (1) Unit 2 square (Fig. 5). The unit should measure 2 ¹/₂" square. Repeat to make (16) Unit 2 squares total.


4. Repeat Step 3 and refer to Figure 6 for fabric identification, placement and orientation to make (16) 2 ¹/₂" Unit 3 squares.



5. Sew (1) Unit 2 square to the left side of (1) Unit 3 square, along the Fabric H sides, to make (1) Unit 4 strip (Fig. 7). Repeat to make (16) Unit 4 strips total.



6. Sew (1) Unit 1 square to each end of (1) Unit 4 strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 4 strip to each side of (1) 4 $\frac{1}{2}$ " Fabric F square to make the middle row. Sew the (3) rows together to make (1) Block One square (Fig. 8). Repeat to make (4) Block One squares total.




7. Sew together (1) 2" x 44 ½" Fabric C strip, (1) 2" x 44 ½" Fabric D strip, (1) 2 ½" x 44 ½" Fabric E strip, (1) 2" x 44 ½" Fabric D strip and (1) 2" x 44 ½" Fabric C strip, lengthwise and in that order from left to right, to make (1) Inner Side Border (Fig. 9). Repeat to make a second Inner Side Border.


8. Sew together (1) 2" x 24 ¹/₂" Fabric C strip, (1) 2" x 24 ¹/₂" Fabric D strip, (1) 2 ¹/₂" x 24 ¹/₂" Fabric E strip, (1) 2" x 24 ¹/₂" Fabric D strip and (1) 2" x 24 ¹/₂" Fabric C strip, lengthwise and in that order from top to bottom. Sew (1) Block One square to each end of the newly sewn strip to make (1) Inner Top Border (Fig. 10). Repeat to make the Inner Bottom Border.



Inner Top/Bottom Border



9. Place (1) 2 $\frac{1}{2}$ " Fabric I square on the left side of (1) 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Fabric J strip, right sides together (Fig. 11). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 11). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a $\frac{1}{4}$ " seam allowance (Fig. 12).



Page 2

10. Place another 2 ¹/₂" Fabric I square on the right side of the 2 ¹/₂" x 4 ¹/₂" Fabric J strip, right sides together (Fig. 13). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 13). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 5 strip (Fig. 14).

I

Unit 6

make 15

L

Fig. 15

Unit 8


make 10

J∮


I

Т

11. Repeat Steps 9-10 to make (15) Unit 5 strips total.




identification, placement, seam direction and orientation to make (15) Unit 6 strips, (10) Unit 7 strips and (10) Unit 8 strips.



13. Sew together (15) Unit 5 strips end to end to make the Outer Left Side Border (Fig. 18).

14. Sew together (15) Unit 6 strips end to end to make the Outer Right Side Border (Fig. 19).



Page 3

Page 4

15. Sew together (10) Unit 7 strips end to end. Sew (1) 2 ¹/₂" Fabric J square to each end of the newly sewn strip to make the Outer Top Border (Fig. 20 below).

16. Sew together (10) Unit 8 strips end to end. Sew (1) 2 ¹/₂" Fabric J square to each end of the newly sewn strip to make the Outer Bottom Border (Fig. 21 below).

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.) 17. Sew (1) Inner Side Border to each side of the Center Block. Sew the Inner Top Border and Inner Bottom Border to the top and the bottom of the Center Block.


18. Sew the Outer Left Side Border and Outer Right Side Border to the left and to the right of the Center Block. Sew the Outer Top Border and Outer Bottom Border to the top and to the bottom of the Center Block.

19. Sew (1) 1 $\frac{1}{2}$ " x 64 $\frac{1}{2}$ " Fabric C strip to each side of the Center Block. Sew (1) 1 $\frac{1}{2}$ " x 46 $\frac{1}{2}$ " Fabric C strip to the top and to the bottom of the Center Block.

20. Center (1) $6\frac{1}{2}$ " x 82" Fabric K strip on (1) side of the Center Block and pin in place. Start sewing the strip a $\frac{1}{4}$ " from the top edge of the block and stop a $\frac{1}{4}$ " from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.

21. Repeat Step 20 to sew (1) $6\frac{1}{2}$ " x 62" Fabric K strip to the top and to the bottom of the Center Block, making sure to stop and start $\frac{1}{4}$ " away from each end of the block. To miter each corner, fold the Center Block on a diagonal, wrong side together. This should line up the strips from adjacent sides (Fig. 22).


22. Starting at the sewn seam (represented by the arrow in Figure 22), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a $\frac{1}{4}$ " seam. Repeat this step with the remaining corners to make the quilt top.




23. Layer and quilt as desired.

24. Sew the (7) $2\frac{1}{2}$ x WOF Fabric C strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.

25. Bind as desired.





Quilt Layout

Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.