Jacobean Joyeux

Principle

A Free Project Sheet
NOT FOR RESALE













Table Set

Skill Level: Advanced Beginner





facebook.

Finished Runner Size: 62" x 26" Finished Place Mat Size: 20" x 14" 49 West 37th Street, New York, NY 10018 tel: 212-686-5194 fax: 212-532-3525

Toll Free: 800-294-9495 www.henryglassfabrics.net

Please check our website for pattern updates before starting this project.

Fabrics in the Collection



Select Fabrics from Folio Basics



JACOBEAN JOYEUX

Page 1

Runner Materials

½ yard	Jacobean Vine - Red (A)	2656-88
1/4 yard	Mini Bud Monotone - Green (B)	2659-66
½ yard	Folio - Early Green (C)	7755-62
½ yard	Mini Bud Monotone - Red (D)	2659-88
²⁄₃ yard	Folio - Off White (E)	7755-04
1/4 yard	Jacobean Vine - Gold (F)	2656-44
1/4 yard	Floral Lattice - Cream (G)	2658-33
1/4 yard	Folio - Gold (H)	7755-33
3/4 yard	Floral Lattice - Red (I)	2658-88
½ yard	Damask - Green (J)	2657-66*
2 yards	Jacobean Vine - Cream (Backing)	2656-33

Place Mat Materials (makes 4)

⅔ yard	Border Stripe - Cream (A)	2660-33
1 1/8 yards	Damask - Green (B)	2657-66*
½ yard	Folio - Off White (C)	7755-04
1 ½ yards	Floral Lattice - Cream (Backing)	2658-33

^{*}Includes binding

Runner Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Jacobean Vine - Red (A), cut:

• (1) 12 ½" square.

From the Mini Bud Monotone - Green (B), cut:

• (2) 3 ½" x WOF strips. Sub-cut (16) 3 ½" squares.

From the Folio - Early Green (C), cut:

- (1) 4 1/4" x WOF strip. Sub-cut (4) 4 1/4" squares. Cut the squares across both diagonals to make (16) 4 1/4" triangles.
- (2) 3 ½" x WOF strips. Sub-cut (12) 3 ½" x 6 ½" strips.

From the Mini Bud Monotone - Red (D), cut:

- (2) 3 1/8" x WOF strips. Sub-cut (12) 3 1/8" squares.
- (1) 3 %" x WOF strip. Sub-cut (8) 3 %" squares. Cut the squares across (1) diagonal to make (16) 3 %" triangles.

From the Folio - Off White (E), cut:

- (1) 4 ½" x WOF strip. Sub-cut (4) 4 ½" squares. Cut the squares across both diagonals to make (16) 4 ½" triangles.
- (2) 3 %" x WOF strips. Sub-cut (12) 3 %" squares.
- (2) 3 ½" x WOF strips. Sub-cut (24) 3 ½" squares.

From the Jacobean Vine - Gold (F), cut:

• (1) 6 ½" x WOF strip. Sub-cut (2) 6 ½" squares.

From the Floral Lattice - Cream (G), cut:

• (1) 3 ½" x WOF strip. Sub-cut (8) 3 ½" squares.

From the Folio - Gold (H), cut:

- (1) 1 ½" x WOF strip. Sub-cut (2) 1 ½" x 18 ½" strips.
- (3) 1 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 1 ½" x 56 ½" strips.

From the Floral Lattice - Red (I), cut:

- (1) 20 ½" x WOF strip. Sub-cut (2) 20 ½" x 3 ½" strips.
- From the remaining fabric, cut (2) 3 ½" x 62 ½" WOF strips, piece as needed.

From the Damask - Green (J), cut:

• (5) 2 ½" x WOF strips for the binding.

From the Jacobean Vine - Cream (Backing), cut:

• (1) 70" x 34" WOF strip for the backing.

Place Mat Cutting Instructions

Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

From the Border Stripe - Cream (A), cut:

• (1) 20 ½" x WOF strip. Sub-cut (4) 20 ½" x 10 ½" strips.

From the Damask - Green (B), cut:

- (5) 2 ½" x WOF strips. Sub-cut (80) 2 ½" squares.
- (8) 2 ½" x WOF strips for the binding.

From the Folio - Off White (C), cut:

• (5) 2 ½" x WO strips. Sub-cut (40) 2 ½" x 4 ½" strips.

From the Floral Lattice - Cream (Backing), cut:

• (2) 24" x WOF strips. Sub-cut (4) 24" x 18" rectangles.

Runner Block Assembly

Note: Pay attention to the unit orientations when assembling the various components.

1. Place (1) 3 1/8" Fabric D square on top of (1) 3 1/8" Fabric E square, right sides together. Draw a line across the diagonal of the top square (Fig. 1). Sew 1/4" away from each side of the drawn diagonal line (Fig. 1). Cut the (2) squares apart on the drawn diagonal line (Fig. 2) to make (2) half-square triangles. Trim the half-square triangles. to measure 3 1/2" square to make (2) Unit 1 squares (Fig. 3). Repeat to make (24) Unit 1 squares total.








Unit 1

2 Fig. 3

2. Sew (1) 3 ½" Fabric B square to the left side of (1) Unit 1 square to make the top row. Sew (1) Unit 1 square to the left side of (1) 3 ½" Fabric G square to make the bottom row. Sew the (2) rows together lengthwise to make (1) Unit 2 square (Fig. 4). Repeat to make a second Unit 2 square.



3. Repeat Step 2 and refer to Figures 5-7 for component identification, location and orientation to make (2) Unit 3 squares, (2) Unit 4 squares and (2) Unit 5 squares.







Fig. 5






- 4. Sew together (1) 4 ¼" Fabric C triangle and (1) 4 ¼" Fabric E triangle. Sew (1) 3 %" Fabric D triangle to the long side of the newly sewn triangle to make (1) Unit 6 square (Fig. 8). The unit should measure 3 ½" square. Repeat to make (8) Unit 6 squares total.
- 5. Repeat Step 4 and refer to Figure 9 for fabric identification, location and orientation to make (8) 3 ½" Unit 7 squares.





G (1) II '(


6. Sew (1) Unit 6 square to the left side of (1) Unit 7 square along their Fabric E sides to make (1) Unit 8 strip (Fig. 10). Repeat to make (8) Unit 8 strips total.




Page 2

Fig. 10


7. Place (1) 3 ½" Fabric E square on the left side of (1) 3 ½" x 6 ½" Fabric C strip, right sides together (Fig. 11). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 11). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance (Fig. 12).





8. Place another 3 ½" Fabric E square on the right side of the 3 ½" x 6 ½" Fabric C strip, right sides together (Fig. 13). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 13). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance to make (1)

9. Repeat Steps 7-8 to make (12) Unit 9 strips total.






Fig. 13

Unit 9 strip (Fig. 14).

Fig. 14

10. Sew (1) Unit 9 strip to the top of (1) Unit 8 strip lengthwise to make (1) Unit 10 square (Fig. 15). Repeat to make (8) Unit 10 squares total.




Fig. 15

Page 3

- 11. Sew (1) Unit 2 square to the left end of (1) Unit 10 square and (1) Unit 3 square to the right end of the Unit 10 square to make the top row (Fig. 16).
- 12. Sew (1) Unit 10 square to each side of (1) 6 ½" Fabric F square to make the middle row (Fig. 16).
- 13. Sew (1) Unit 4 square to the left side of (1) Unit 10 square and (1) Unit 5 square to the right side of the Unit 10 square to make the bottom row (Fig. 16).
- 14. Sew the (3) rows from Steps 11-13 together lengthwise to make (1) Block One square (Fig. 16). Repeat to make a second Block One square.




Fig. 16

15. Place (1) 3 ½" Fabric B square on the top left corner of (1) 12 ½" Fabric A square, right sides together (Fig. 17). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 17). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle ¼" away from the sewn seam. (Fig. 18)




Fig. 17




Fig. 18

16. Follow Figure 19 for the seam direction to add a 3 ½" Fabric B square to each of the remaining corners of the 12 ½" Fabric A square to make (1) Unit 11 square (Fig. 20).




Fig. 19




Fig. 20

17. Sew (1) Unit 1 square to each end of (1) Unit 9 strip. Sew (1) 3 ½" Fabric B square to each end of the newly sewn strip to make the top row. Repeat to make the bottom row. Sew (1) Unit 1 square to each end of (1) Unit 9 strip. Repeat to make a second strip. Sew (1) strip to each side of the Unit 11 square to make the middle row. Sew the (3) rows together to make (1) Block Two square (Fig. 21).




Fig. 21

Page 4

Runner Top Assembly

(Follow the Runner Layout in Figure 22 while assembling the runner top.)

- 18. Sew (1) Block One square to each side of the Block Two square to make the Center Block (Fig. 22).
- 19. Sew (1) 1 ½" x 18 ½" Fabric H strip to each side of the Center Block. Sew (1) 1 ½" x 56 ½" Fabric H strip to the top and to the bottom of the Center Block (Fig. 22).
- 20. Sew (1) 3 ½" x 20 ½" Fabric I strip to each side of the Center Block. Sew (1) 3 ½" x 62 ½" Fabric I strip to the top and to the bottom of the Center Block to make the Runner top.

- 21. Layer and quilt as desired.
- 22. Sew the (5) 2 ½" x WOF Fabric J strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 23. Bind as desired.




Fig. 22

Page 5

Place Mat Block Assembly

Note: Pay attention to the unit orientations when assembling the various components.


24. Place (1) 2 ½" Fabric B square on the left side of (1) 2 ½" x 4 ½" Fabric C strip, right sides together (Fig. 23). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 23). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a ¹/₄" seam allowance (Fig. 24).






Fig. 24


- 25. Place another 2 1/2" Fabric B square on the right side of the 2 ½" x 4 ½" Fabric C strip, right sides together (Fig. 25). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 25). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make (1) Unit 12 strip (Fig. 26).
- 26. Repeat Steps 24-25 to make (40) Unit 12 strips total.





Place Mat Top Assembly (Follow the Place Mat Layout in Figure 27 while assembling the runner top.)

- 27. Sew together (5) Unit 12 strips end to end. Repeat to make a second strip. Sew (1) strip to the top and to the bottom of (1) 20 ½" x 10 ½" Fabric A strip to make (1) Place Mat top. Repeat to make (4) Place Mat tops total.
- 28. Layer and quilt as desired.
- 29. Sew the (8) 2 ½" x WOF Fabric B strips together, end to end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press. Cut the strip into (4) equal pieces.
- 30. Bind as desired.



Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however no warranty can be given nor results guaranteed as we have no control over the execution of instructions. Therefore, we assume no responsibility for the use of this information or damages that may occur as a result. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. Please make sure to check www.henryglassfabrics.net for pattern updates prior to starting the project. We also recommend that you test the project prior to cutting for kits. Finally, all free projects are intended to remain free to you and are not for resale.